



Cushion Curve
2.2 pcf (35.2 g/l)
12 in (30.5 cm) Drop Height
1" (2.5 cm) to 6" (15.2 cm) Thick


1st Impact



2nd Impact




Average of 3-5 Impacts




The information contained herein is provided for general reference purposes only. By providing the information contained herein, NOVA Chemicals Inc. makes no guaranty or warranty and does not assume any liability, with respect to the accuracy or completeness of such information, or product results in any specific instance, and hereby expressly disclaims any implied warranties of merchantability or fitness for a particular purpose or any other warranties or representations whatsoever, expressed or implied. Nothing contained herein shall be construed as a license to use the products of NOVA Chemicals.

Cushion Curve
2.2 pcf (35.2 g/l)
18 in (45.7 cm) Drop Height
1" (2.5 cm) to 6" (15.2 cm) Thick


1st Impact



2nd Impact




Average of 3-5 Impacts




Cushion Curve
2.2 pcf (35.2 g/l)
24 in (61.0 cm) Drop Height
1" (2.5 cm) to 6" (15.2 cm) Thick


1st Impact






2nd Impact






Average of 3-5 Impacts






Cushion Curve
2.2 pcf (35.2 g/l)
30 in (76.2 cm) Drop Height
1" (2.5 cm) to 6" (15.2 cm) Thick



Cushion Curve
2.2 pcf (35.2 g/l)
36 in (91.4 cm) Drop Height
1" (2.5 cm) to 6" (15.2 cm) Thick



Cushion Curve
2.2 pcf (35.2 g/l)
42 in (106.7 cm) Drop Height
1" (2.5 cm) to 6" (15.2 cm) Thick



Cushion Curve
2.2 pcf (35.2 g/l)
48 in (121.9 cm) Drop Height
1" (2.5 cm) to 6" (15.2 cm) Thick

