



# Pipeline Emergency Response Team (PERT) Emergency Procedures Manual

For Canada and United States Pipeline Operations

## Prepared and Maintained by the Manufacturing East Pipeline Team

In accordance with

- *Canadian Energy Regulator Onshore Pipeline Regulations Section 32(2)*
- *Transportation of Hazardous Liquids by Pipeline 49 CFR 195.402 (e) Emergencies*
- *CSA-Z662: Oil and Gas Pipeline Systems — Pipeline Emergencies Section*



# TABLE OF CONTENTS

Area / Department:	Pipelines	Manual Date:	01.04.23
Manual Name:	Pipeline Emergency Response Manual including Genesis Pipelines	Page:	1 of 4

Procedure Number	Description	Revision Level	Revision Date (DD.MM.YY)	1-year Review Date (DD.MM.YY)
<a href="#">PER00000</a>	<b>0.0 REVISION LOG</b>	7	01.04.23	01.04.24
<a href="#">PER00001</a>	<b>1.0 ADMINISTRATION</b>	19	01.04.23	01.04.24
	1.1 Manual Purpose			
	1.2 Manual Distribution			
	1.3 Manual Updating			
	1.4 Product Lines & Practices			
	1.5 Community Awareness and Emergency Response Program			
<a href="#">PER00002</a>	<b>2.0 ORGANIZATION</b>	19	01.04.23	01.04.24
	2.1 Emergency Response Organization			
	2.2 Emergency Areas			
	2.3 Levels of Emergency			
	2.4 Spill/Release Notifications for Pipelines in Canada			
	2.5 Pipeline Regulatory Reporting			
	2.6 Spill/Release Notifications for Pipelines in the US			
	2.7 49 CFR 195 Accident and Safety-Related Condition Reporting			
	2.8 Notifications for Pipeline Spill/Release under the St. Clair River where boundary is unclear			
	2.9 Emergency Response Organization			
	2.10 CAER Manual – Emergency Notifications to Municipalities and Public			
<a href="#">PER00003</a>	<b>3.0 ROLES &amp; RESPONSIBILITIES</b>	21	01.04.23	01.04.24
	3.1 Introduction			
	3.2 CAMF Shift Supervisor			
	3.3 NOVA Chemicals CAMF Production Team Leader / Shift Production Manager			
	3.4 NOVA Chemicals EOC Manager			
	3.5 Occupational Safety, Emergency Preparedness and Security Coordinator / Specialist			

# TABLE OF CONTENTS

Area / Department:	Pipelines	Manual Date:	01.04.23
Manual Name:	Pipeline Emergency Response Manual including Genesis Pipelines	Page:	2 of 4

Procedure Number	Description	Revision Level	Revision Date (DD.MM.YY)	1-year Review Date (DD.MM.YY)
	3.6 CAMF Production Leader			
	3.7 Pipeline Integrity and Rail Supervisor			
	3.8 Material Flow Technician			
	3.9 Material Flow Control Room Technician			
	3.10 Pipeline Day Technician			
	3.11 Pipeline Regulatory Specialist			
	3.12 LamSar, Inc. First Responder			
	3.13 Municipal Fire Departments			
	3.14 Procedures for Field Location of a Pipeline Leak			
	3.15 Specific Actions – HVP Product Pipelines			
	3.16 Specific Actions – Flammable and Combustible Liquids			
	3.17 NOVA Chemicals Emergency Operations Centre Activities			
	3.18 PERT RACI Chart			
	3.19 Government Agency Support			
	3.20 Mutual Aid			
<a href="#">PER00004</a>	<b>4.0 COMMUNICATIONS</b>	13	01.04.22	01.04.24
	4.1 Communications			
	4.2 Communication Tools			
	4.3 Post-Emergency Communications			
	4.4 Responder Debriefing			
	4.5 Public Information / Community Awareness			
	4.6 Incident Investigation			
	4.7 After a Level II or Level III Emergency			
	4.8 Critical Incident Stress Debriefing			
	4.9 Emergency Response Activity Debrief including SER10008A EOC Debrief/ After Action Review template			
<a href="#">PER00005</a>	<b>5.0 EMERGENCY RESPONSE ACTIVATION</b>	14	01.04.22	01.04.24
	5.1 Activation of Emergency Plan			
	5.2 Guidelines			

# TABLE OF CONTENTS

Area / Department:	Pipelines	Manual Date:	01.04.23
Manual Name:	Pipeline Emergency Response Manual including Genesis Pipelines	Page:	3 of 4

Procedure Number	Description	Revision Level	Revision Date (DD.MM.YY)	1-year Review Date (DD.MM.YY)
	5.3 Emergencies Caused by 3 <sup>rd</sup> Party Damage			
	5.4 Evacuation Planning			
	5.5 Disciplined Approach to Emergency Response (DA2ER)			
	Appendix 1 – Isolation Valve Closing			
	Appendix 2 – Vapour Cloud Ignition Procedure			
	Appendix 3 – Incident Management Systems (IMS)			
<a href="#">PER00006</a>	<b>6.0 EMERGENCY CONTACT LIST</b>	18	01.04.23	01.04.24
<a href="#">PER00007</a>	<b>7.0 PRODUCT DATA</b>	14	01.04.23	01.04.24
	NOVA Chemicals' Products carried in NOVA Chemicals Pipelines			
	Benzene			
	Brine Solution			
	C6-C8 Raffinates			
	C9-200 Hydrocarbons			
	Ethylene			
	Ethylene, Spent Gas			
	Mixed C4 Raffinates			
	Toluene/Xylene Mixture			
	Other companies' Products carried in NOVA Chemicals Pipelines			
	Crude Oil – LSB/OSH/PSY			
	Ethane			
	Mixed Toluene/Benzene Stream			
	Natural Gas/Fuel Gas			
	NGL (Butane)			
	NGL (Propane)			
	No. 2 Fuel Oil			
	No. 6 Fuel Oil			
<a href="#">PER00008</a>	<b>8.0 TRAINING</b>	12	01.04.22	01.04.24
	8.1 PERT Members/Operations Training			

# TABLE OF CONTENTS

Area / Department:	Pipelines	Manual Date:	01.04.23
Manual Name:	Pipeline Emergency Response Manual including Genesis Pipelines	Page:	4 of 4

Procedure Number	Description	Revision Level	Revision Date (DD.MM.YY)	1-year Review Date (DD.MM.YY)
	8.2 EOC Training			
	8.3 Exercise Requirements			
	8.4 External Resources Training			
<a href="#">PER00009</a>	<b>9.0 CHECKLISTS</b>	12	01.04.21	01.04.24
	9.1 Pipeline Emergency – First Responder (Material Flow Technician and/or CAMF Shift Supervisor) Checklist			
	9.2 Pipeline Emergency – First Responder Vehicle Checklist			
<a href="#">PER00010</a>	<b>10.0 FORMS</b>	09	01.04.21	01.04.24
	10.1 Pipeline Emergency Call Form			
<a href="#">PER00011</a>	<b>11.0 EMERGENCY RESOURCES AND EQUIPMENT</b>	11	01.04.22	01.04.24
<a href="#">PER00012</a>	<b>12.0 CORUNNA PIPELINE VALVE STATIONS / COMPOUNDS</b>	11	01.04.23	01.04.24
<a href="#">PER00013</a>	<b>13.0 MAPS – PIPELINE DISTRIBUTION THROUGHOUT THE REGION</b>	14	01.04.23	01.04.24
	13.1 Pipeline Corridors			
	13.2 Pipelines and Valve Stations/Compounds			
	13.3 US Topographic Lines 16A, 18, 19 and 20			
	13.4 NOVA US Planview maps			
	13.5 CER Regulated Facilities			



Revision Date: 01.04.23	<b>PIPELINE EMERGENCY RESPONSE MANUAL</b>  INCLUDING GENESIS PIPELINES  <b>REVISION LOG</b>	Procedure No. PER00000  Initial issue date: 13.03.17
-------------------------	---	--

Revisions Date <sup>1</sup>	Revised By	Revised Section	Description of Revision
2018.04.01	Megan Copley Terry Johnson Nick Robichaud Dave Bararuk Jace Plaine	Entire Document	Aligned with updated NEB Event Reporting Guidelines Changed title of Senior Pipeline Coordinator to Regional Integrity Coordinator Updated references from CAER Manual to renamed MEERS Manual Reviewed and revised contact lists, agency descriptions and reporting requirements Reviewed and revised pipelines and products and MSDS
2019.04.01	Megan Copley Terry Johnson Dave Bararuk		Aligned with update TSB reporting guidelines Updated job titles where appropriate Changed MOECC references to MECP Reviewed and revised contact lists, agency descriptions and reporting requirements Reviewed and revised pipelines and products and MSDS Removed references to PL 31 being NEB regulated
2020.04.01	Christine Tomlinson Terry Johnson Jace Plaine Dave Bararuk Jamie Morgan	Entire Document	Updated references from NEB to CER Added Pipeline Regulatory Specialist role to RACI chart Material Flow Boardman and Pipeline Day Technician roles and responsibilities added Reviewed and revised pipelines and products and MSDS Updated CER Regulated Lines Map to reflect addition of PL 33 due to change in ownership Updated First Responder Check List Revised and added OPLO-16015A Recognizing Reportable Incidents and Occurrences on CER-Regulated Pipelines
2021.04.01	Christine Tomlinson Megan Copley Jamie Morgan Terry Johnson Jace Plaine Marco Bucci Jordan Klonteig	Entire Document	Updated job titles and roles and responsibilities Updated RACI chart Changed CVECO references to CAER Updated external references to latest revisions Reviewed and revised contact lists, agency descriptions and reporting requirements
2022.04.01	Megan Copley Christine Tomlinson Jamie Morgan Terry Johnson Jace Plaine Marco Bucci Jordan Klonteig		Updated Section 2.10 CAER – Emergency Notifications to Municipalities and Public to align with CAER manual Removed Section 6 Emergency Contact List – US Buffer Zones Contacts - would not be used in case of an emergency by US police and fire Updated a few SDS in Section 7.0 Moved Section 11 Maps to the end of PERT– will now be Section 13/Section 13 Equipment now Section 11

<sup>1</sup> Revision log inclusive of 2018 revisions. Initial publication date of PERT Manual: 2003.12.31.

Revision Date: 01.04.23	<b>PIPELINE EMERGENCY RESPONSE MANUAL</b>  INCLUDING GENESIS PIPELINES  <b>REVISION LOG</b>	Procedure No. PER00000  Initial issue date: 13.03.17
-------------------------	---	--

Revisions Date <sup>1</sup>	Revised By	Revised Section	Description of Revision
2023.04.01	Megan Copley Jamie Morgan Terry Johnson Jace Plaine Jordan Klonteig	Sections 1–3, 6, 7, 12, 13	Updates to job titles, contacts and company name changes throughout, including the contacts in Section 6 and maps in Section 13 Updates to reflect Canada Labour Code II hazardous occurrence reporting in Section 2 and in OPLO-06015 Addition of feedback from St. Clair Fire Department and Homeland Security to Section 3, new 3.13 required renumbering of subsequent headings Updates to Environment and Climate Change Canada notification requirements in Section 2 Administrative updates to flow charts in 2.9 and 2.10 Updates to RACI and government agency support in Section 3 SDS updates in Section 7

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00001
Revision Date: <b>01.04.23</b>	<b>ADMINISTRATION</b>	Page 1 of 8
		Initial issue date: 31.12.03

## 1.1 MANUAL PURPOSE

### SCOPE

The purpose of the Pipeline Emergency Response Manual is to minimize the impact of a pipeline incident to the community, property and the environment. NOVA Chemicals owns and operates numerous pipelines along an international waterway — the St. Clair River — which separates Canada and the United States. An emergency planning zone has been defined and an up to date list of residents and industries is maintained by the Public Relations Specialist for Manufacturing East.

References: This manual is not intended to provide procedures for transportation, community or site emergencies; these are captured separately in different manuals (Chemical Valley Emergency Coordinating Organization, Corporate Transportation Emergency Response Manual, County Emergency Response Manual and Manufacturing East Emergency Response System (MEERS) Manual.

This manual is implemented under the NOVA Chemicals Manufacturing East Emergency Management Program.

### OBJECTIVES

The objectives of this manual are:

- Identify the NOVA Chemicals Pipeline Emergency Response and Policy.
- Define organization, roles and responsibilities for designated personnel during emergencies.
- Define guidelines for emergency response actions as they relate to pipeline operation.

### RESPONSE

When responding to a pipeline emergency, NOVA Chemicals will:

- Protect the public, the environment, and property.
- Isolate and reduce the impact of the emergency as soon as possible.
- Ensure all regulatory agencies are notified, as appropriate.
- Provide advisory support and technical advice to the provincial/state, municipal and industrial emergency/disaster services responding to emergency.
- Advise on and, if necessary, arrange for appropriate clean up or other mitigative actions.
- Secure resources to render pipeline facilities safe for repair as quickly as possible.



Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00001
Revision Date: <b>01.04.23</b>	<b>ADMINISTRATION</b>	Page 2 of 8
		Initial issue date: 31.12.03

## 1.2 MANUAL DISTRIBUTION

This manual is distributed as outlined below:

Manual No.	Manual Steward	Manual Distribution
C01	Pipeline Regulatory Specialist	Pipeline Regulatory Specialist's office
C02 + e-copy	Occupational Safety, Emergency Preparedness and Security <b>Specialist</b>	St. Clair Twp. Fire Chief
C03 (e-copy only)	Occupational Safety, Emergency Preparedness and Security <b>Specialist</b>	Sarnia, Ontario Community Emergency Management Coordinator (CEMC)
C04 + e-copy	Pipeline Integrity and Rail Supervisor	LamSar, Inc. USA Office
C05 (7 copies)	Pipeline Integrity and Rail Supervisor	LamSar, Inc. U.S. Pipeline Emergency Responder Vehicle
C06 + e-copy	Occupational Safety, Emergency Preparedness and Security <b>Specialist</b>	Sarnia, Ontario Fire Chief
C07 + e-copy	Pipeline Integrity and Rail Supervisor	Marysville, Michigan Fire Chief
C08	Pipeline Integrity and Rail Supervisor	Pipeline Integrity and Rail Supervisor's Office

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00001
Revision Date: <b>01.04.23</b>	<b>ADMINISTRATION</b>	Page 3 of 8
		Initial issue date: 31.12.03

Manual No.	Manual Steward	Manual Distribution
C09	Pipeline Field Execution Coordinator	Pipeline Field Execution Coordinator's Truck
C010A and C010B	Pipeline Field Execution Coordinator	CAMF Shift Supervisor's Truck and office
C011	Pipeline Regulatory Specialist	CER– distribution as per their direction (One hard and e-copy from Genesis)
C012 (4 copies)	Occupational Safety, Emergency Preparedness and Security Specialist	NOVA Chemicals' Emergency Operations Centres (EOC) Corunna, Moore, Rokeby and St. Clair River sites, Ontario
C013	Occupational Safety, Emergency Preparedness and Security Specialist	County of Lambton Emergency Management Coordinator
C014	Occupational Safety, Emergency Preparedness and Security Specialist	CAER Command Bus c/o Sarnia Police Operations Centre
C015	Pipeline Integrity and Rail Supervisor	Material Flow Control Room
C016	Pipeline Integrity and Rail Supervisor	CAMF Production Leader's office

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00001
Revision Date: <b>01.04.23</b>	<b>ADMINISTRATION</b>	Page 4 of 8
		Initial issue date: 31.12.03

Manual No.	Manual Steward	Manual Distribution
C017	Occupational Safety, Emergency Preparedness and Security Specialist	St. Clair Township Command Vehicle
C018	Pipeline Integrity and Rail Supervisor	Canadian Pipeline Maintenance Contractor
C019	Pipeline Integrity and Rail Supervisor	Pipeline Day Technician's Office
C020	Pipeline Integrity and Rail Supervisor	CAMF Production Team Leader
C021	Occupational Safety, Emergency Preparedness and Security Specialist	St. Clair County Office of Homeland Security / Emergency Management

Revision No. 19	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00001
Revision Date: 01.04.23	<b>ADMINISTRATION</b>	Page 5 of 8
		Initial issue date: 31.12.03

### 1.3 MANUAL UPDATING

#### PIPELINE EMERGENCY RESPONSE MANUAL UPDATING

- Follows NOVA Chemicals procedure SDC00001 *PERT Manual Document Control Process* for preparing, reviewing, revising and control of the PERT manual documentation.
- Reviewed annually by Occupational Safety, Emergency Preparedness and Security Coordinator and Pipeline Team.
- Paper revisions will be distributed to manual holders unless electronic copies are requested in addition to or in lieu of paper copies. Distribution of this manual is provided to all external resources that may respond to a NOVA Chemicals pipeline emergency. Opportunity is given for review by these external resources, and concerns or questions addressed as applicable. Manual holders are required to confirm their familiarity with the updates made on an annual basis.
- Electronic copy of the Pipeline Emergency Response Manual will be the most recent. Electronic copies can be found on both the NOVA Chemicals internal and external websites.

#### APPROVAL

- The manual is approved by the Pipeline Integrity and Rail Supervisor and Occupational Safety, Emergency Preparedness and Security **Specialist**.

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00001
Revision Date: <b>01.04.23</b>	<b>ADMINISTRATION</b>	Page 6 of 8
		Initial issue date: 31.12.03

## 1.4 PRODUCT LINES & PRACTICES

This manual is applicable to the following feedstock and product pipelines:

	Pipeline Number	CER Lines	DOT USA	Owner
<u>Ethylene</u>				
NOVA Corunna to NOVA St. Clair (8")	2			NOVA
NOVA Corunna to <b>Diamond Petrochemicals</b> /Imperial Oil Ltd. (6")	3			NOVA
NOVA Corunna to NOVA Moore (10")	27			NOVA
NOVA Corunna to Styrolution (6")	43			NOVA
<u>Spent Ethylene</u>				
NOVA St. Clair to NOVA Corunna (4")	21			NOVA
<u>Mixed C<sub>4</sub></u>				
NOVA Corunna to <b>Diamond Petrochemicals</b> (6")	4			NOVA
<u>Benzene</u>				
NOVA Corunna to Styrolution (4")	17			NOVA
Suncor to PL17 (4")	17A			NOVA
PL17 to/from Shell (4")	17B			NOVA
<u>Raffinates</u>				
From NOVA Corunna to/from Suncor Meter Compound (10")	9			NOVA
<u>NGL</u>				
From Plains, Suncor, Pembina to/from or Corunna (8")	16	X		NOVA/ GENESIS <sup>1</sup>
To/from DCP, Marysville, Michigan to Pipeline #16 (LaSalle Valve Compound) (8")	16A	X	X	GENESIS
From PL 16 connection to Pembina (8") within Pembina NGL Compound	16B	X		GENESIS
From Plains' EDS Line at Well 5 to 293 meter (on site) (10")	33	X		GENESIS
<u>Residual and No. 2 Fuel Oils and Crude</u>				
NOVA Corunna to/from Sun Meter Station (14") (RFO & No. 2 Fuel Oil)	5			NOVA
NOVA Corunna to Enbridge (14") (crude)	5			NOVA
<u>Crude</u>				
From Enbridge Compound (LaSalle Line) to NOVA Corunna (30")	31			NOVA
<u>Fuel Gas</u>				
From Enbridge Gas Rokeby Line Compound to NOVA Corunna (12")	32			NOVA
<u>Toluene Mix</u>				
From Styrolution to NOVA Corunna (4")	44			NOVA

<sup>1</sup> Pipeline 16 is owned by Genesis from NOVA Corunna site to LaSalle compound, then owned by NOVA Chemicals north of LaSalle compound. The portion owned by Genesis is CER-regulated.

**NOVA Chemicals Corporation****Corunna Operations**

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES  <b>ADMINISTRATION</b>	Procedure No. PER00001
Revision Date: <b>01.04.23</b>		Page 7 of 8
		Initial issue date: 31.12.03

	Pipeline Number	CER Lines	DOT USA	Owner
<u>Brine Transfer</u> NOVA Corunna to Cargill, St. Clair, Michigan (6")	39	X		GENESIS
<u>Brine</u> To/from Pembina HC S&D to NOVA Corunna (6")	42			NOVA
<u>Ethane</u> To NOVA Corunna via Michigan St. Clair River Crossing Valve Pit, Marysville, Michigan (12")	20	X	X	GENESIS
To NOVA Corunna via Fairview Compound (10")	20A	X		GENESIS
To Pembina/from Pembina to NOVA Corunna (Bi-Directional line) (10")	20B	X		GENESIS
To NOVA Corunna from Pembina (6")	25			NOVA
To NOVA Corunna from Plains Midstream (12")	51			NOVA



Revision No. 19	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00001
Revision Date: 01.04.23	<b>ADMINISTRATION</b>	Page 8 of 8
		Initial issue date: 31.12.03

## 1.5 COMMUNITY AWARENESS AND EMERGENCY RESPONSE (CAER) PROGRAM

The health and safety of all workers, the public and environment are integral to NOVA Chemicals' business planning. Emergency response ensures a timely and appropriate response to emergencies and compliance with applicable laws (domestic and/or international) and industry and legal codes of practice.

NOVA Chemicals is a member the Sarnia-Lambton Community Awareness and Emergency Response (CAER) organization. A key function of CAER focuses on bringing municipal and industrial emergency responders together to identify potential risks associated with industrial operations and to develop emergency plans around them. The Manufacturing East Responsible Care Leader has the ultimate responsibility for this program within NOVA Chemicals.

This shall be done through provision and availability of

- effective Emergency Response plans which encompass necessary on-site responses,
- competent Emergency Response personnel,
- reliable Emergency Response equipment,
- training for site personnel, and
- community liaison.

Input from the public on this manual, and emergency management programs, are received through CAER and NOVA Chemicals community outreach. NOVA Chemicals participates in the annual CAER Emergency Preparedness Day – providing the public with an opportunity to meet with emergency personnel and discuss preparedness strategies.

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES  <b>ORGANIZATION</b>	Procedure No. PER00002
Revision Date: <b>01.04.23</b>		Page 1 of 33
		Initial issue date: 31.12.03

## 2.1 EMERGENCY RESPONSE ORGANIZATION

### Pipeline Emergency Response Team (PERT)

Pipeline Integrity and Rail Supervisor	Terry Johnson
Pipeline Field Execution Coordinator	Jace Plaine
Crude, Aromatics and Material Flow (CAMF) and Rail Production Leader	Jordan Klonteig
Pipeline Regulatory Specialist	Megan Copley
Occupational Safety ME Responsible Care Leader	David Bararuk
Emergency Preparedness and Security Specialist	Jamie Morgan Zac Lippiatt
CAMF Shift Supervisor/ Incident Commander	CAMF Shift Supervisors
Pipeline Emergency Resource – CAMF Production Team Leader	Brad Ysebaert

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	<b>ORGANIZATION</b>	Page 2 of 33
		Initial issue date: 31.12.03

## 2.2 EMERGENCY AREAS

### 2.2.1 CANADA

NOVA Chemicals has established an Emergency Planning Zone (EPZ) on our pipelines. The EPZ is representative of the immediate area where losses can be minimized through appropriate and timely action.

A variety of methodologies were used to determine the EPZs of NOVA Chemicals' pipelines, which will differ by the size of the pipeline and the type of product carried. These distances are documented for the length of each pipeline and are available for use during an emergency. The methodologies used include guidance from the Canadian Association of Petroleum Producers, the Emergency Response Guidebook and internal sources.

- The High Vapour Pressure pipelines (including ethylene, ethane, etc.) would have high vaporization rates that can produce plumes of flammable vapour with the potential to drift along the ground.
- Other NOVA Chemicals pipelines (No. 2 Fuel Oil, Crude oil, Raffinates, etc.) contain products with lower flash points.
- Non-hydrocarbon pipelines (including brine) do not have a fire or toxicity risk.

Emergency responders should be familiar with resident locations and local topography within the EPZ.

A list of neighbours resides with NOVA Chemicals Public and Governmental Affairs and is also available through the MEERS Program contact lists. The EPZs have also been built into an interactive map that is accessible by Emergency Operations Centre and all members of the ME Pipeline Team. This Google Earth Pro software is kept up-to-date and is the most accurate representation of the ME pipeline system (including compounds) and planning zone. Pipeline shut down valves have been identified on Google Earth Pro.

The Community Awareness and Emergency Response (CAER) is the mutual aid resource in the event of a pipeline emergency. NOVA Chemicals is a participating member in this organization and will activate CAER notifications and support any pipeline emergencies. The CAER Manual covers incidents outside industry boundaries, e.g. pipelines.

NOVA Chemicals is a sponsor member of ORCGA (Ontario Regional Common Ground Alliance) as well as Ontario One Call System.

### 2.2.2 UNITED STATES

The High Consequence Area (HCA) around the NOVA Chemicals pipelines in the US, along with a buffer zone based on dispersion modelling on the most volatile of the products carry, make up the emergency contact zone of US residents. This equates to

**NOVA Chemicals Corporation****Corunna Operations**

Revision No. 19	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES <b>ORGANIZATION</b>	Procedure No. PER00002 Page 3 of 33 Initial issue date: 31.12.03
Revision Date: 01.04.23		

2250 feet on either side of the pipelines. Emergency responders should be familiar with resident locations and local topography within the HCA and are provided copies of these maps. US Emergency responders are responsible for evacuations in the US.

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	<b>ORGANIZATION</b>	Page 4 of 33
		Initial issue date: 31.12.03

## 2.3 LEVELS OF EMERGENCY

A hazard is defined as “a physical situation with the potential for human injury, damage to property, damage to the environment, or some combination of these”. Emergency levels define the hazard to the public of a High Vapour Pressure (HVP) release and the Operator’s ability to handle the emergency response.

Using common terminology in level identification should result in consistent interpretation of an emergency situation.

The following sections provide further clarification on emergency levels and required notifications.<sup>1</sup>

<sup>1</sup> The following documents were consulted in the development of the spill/release response tables:

NOVA Chemicals Procedure [SEM00130 Spill Response and Reporting for Pipeline Spills in USA](#)

NOVA Chemicals Procedure [SEM10130A Pipeline Discharge to USA Reporting Flowchart](#)

NOVA Chemicals Procedure [SEM00007 Spill Reporting](#) and associated appendices

NOVA Chemicals Procedure [SEM00035 Spill Prevention and Contingency Plan](#) and associated appendices

[Guide for Communicating Emergency Response Information for Natural Gas and Hazardous Liquids Pipelines](#)

[Michigan Facilities' Guide to SARA Title III, Emergency Planning and Release Reporting - November 2022](#)

[Release Notification Requirements in Michigan](#)

[Canada Energy Regulator Event Reporting Guidelines](#)

[Federal Hazardous occurrence investigation recording and reporting](#)

The various agencies' websites and publications

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	<b>ORGANIZATION</b>	Page 5 of 33
		Initial issue date: 31.12.03

**Levels of Emergency**

Level 1	Level 2	Level 3
Control of released product	Imminent control of released product is likely but not yet established	Uncontrolled release of product and control is not imminent
Escalation highly unlikely	Escalation unlikely	Escalation possible/unknown
Incident is handled by company personnel	External agencies are likely to be involved	Imminent and significant external agency involvement
Little or no media interest	Local/regional media interest	National/media interest
Minimal environmental effects	Moderate environmental effects	Significant and ongoing environmental effects (includes pollution) Significant pollution
No immediate threats or hazards	Potential threat to people	Ongoing threat to people
No threat to company infrastructure	Potential threat to infrastructure Could result in a significant adverse effect on property, the environment or safety of persons Imminent threat to the safety of a person, installation or support craft	Significant adverse effect on property, the environment or safety of persons
No effects outside company property or Right-of-Way	No immediate threat outside company property but the potential exists to extend beyond boundaries	Effects beyond company boundaries
Near misses	Hazard that may render the pipeline or pipeline infrastructure unsafe to operate. Surrounding area may be unsafe for general public.	Pipeline and/or pipeline infrastructure is inoperable Hazard that renders the surrounding area unsafe



## NOVA Chemicals Corporation

## Corunna Operations

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	INCLUDING GENESIS PIPELINES	Page 6 of 33
	<b>ORGANIZATION</b>	Initial issue date: 31.12.03

### 2.4 SPILL/RELEASE NOTIFICATIONS FOR PIPELINES IN CANADA

If the release is a threat to human health or safety, call 911 or your local fire department.

Refer to the Levels of Emergency above and the legend and CER/TSB incident definitions below

Pipeline Spill/Release	CAMF Production Leader	NOVA EOC	CER/TSB	MECP/ECCC	Canadian Municipalities & Agencies (9-1-1)	Ministry of Labour (MOL) or Federal Labour Program (FLP) Health and Safety Officer (Note 7)	Other Pipeline Companies in the Corridor	CAER
<b>CER Regulated Lines (refer to map 11.5 for CER regulated pipelines)</b>								
A Level 1 emergency on an CER pipeline (16, 16A, 16B, 18, 19, 20, 20A, 20B, 39, or 33) in Canada	Yes	At the discretion of the Incident Commander	Yes (via OERS) if it qualifies as a pipeline occurrence (see section 2.5 and procedure OPLO-06015)	Possibly. See Notes 1 & 2	Possibly. See Note 1	No, a hazardous occurrence reportable to Labour would not be classified as a Level 1 emergency	Yes	Yes. Refer to section 3.19 for the appropriate code

# NOVA Chemicals Corporation

# Corunna Operations

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	INCLUDING GENESIS PIPELINES	Page 7 of 33
	<b>ORGANIZATION</b>	Initial issue date: 31.12.03

Pipeline Spill/Release	CAMF Production Leader	NOVA EOC	CER/TSB	MECP/ECCC	Canadian Municipalities & Agencies (9-1-1)	Ministry of Labour (MOL) or Federal Labour Program (FLP) Health and Safety Officer (Note 7)	Other Pipeline Companies in the Corridor	CAER
A Level 2 or 3 emergency including unintended control or release of hazardous liquid on an CER pipeline (16, 16A, 16B, 18, 19, 20, 20A, 20B, 39, or 33: NOVA-owned connection piping between EDS and Genesis at Corunna site) in Canada	Yes	Yes	Yes (via OERS) if it qualifies as a pipeline occurrence and also by telephone to TSB if it qualifies as an immediately reportable event (see section 2.5 and procedure OPLO-06015)	Likely. See Notes 1 & 2	Likely. See Note 1	Yes, to FLP officer <b>within 24 hours if there are injuries, death, impairment of body function, or explosion</b>	Yes	Yes. Refer to section 3.19 for the appropriate code

# NOVA Chemicals Corporation

# Corunna Operations

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	INCLUDING GENESIS PIPELINES	Page 8 of 33
	<b>ORGANIZATION</b>	Initial issue date: 31.12.03

Pipeline Spill/Release	CAMF Production Leader	NOVA EOC	CER/TSB	MECP/ECCC	Canadian Municipalities & Agencies (9-1-1)	Ministry of Labour (MOL) or Federal Labour Program (FLP) Health and Safety Officer (Note 7)	Other Pipeline Companies in the Corridor	CAER
<b>Non-CER Regulated Lines</b>								
A Level 1 emergency on a non-CER pipeline in Canada	Yes	At the discretion of the Incident Commander	No OEB Pipeline – TSSA Reporting	Possibly. See Notes 1 & 2	Possibly. See Note 1	No, a hazardous occurrence reportable to Labour would not be classified as a Level 1 emergency	Yes	Yes. Refer to section 3.19 for the appropriate code
A Level 2 or 3 emergency including unintended control or release of hazardous liquid (any amount) on a non-CER pipeline in Canada	Yes	Yes	No OEB Pipeline – TSSA Reporting	Likely. See Notes 1 & 2	Likely. See Note 1	Yes, to MOL immediately if there are injuries	Yes	Yes. Refer to section 3.19 for the appropriate code

# NOVA Chemicals Corporation

# Corunna Operations

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	INCLUDING GENESIS PIPELINES	Page 9 of 33
	<b>ORGANIZATION</b>	Initial issue date: 31.12.03

Pipeline Spill/Release	CAMF Production Leader	NOVA EOC	CER/TSB	MECP/ECCC	Canadian Municipalities & Agencies (9-1-1)	Ministry of Labour (MOL) or Federal Labour Program (FLP) Health and Safety Officer (Note 7)	Other Pipeline Companies in the Corridor	CAER
<b>Pipeline owned by NOVA Chemicals but emergency occurs on property belonging to another company. See Note 6</b>								
A Level 1, 2 or 3 emergency on an CER pipeline	Yes	At the discretion of the CAMF Production Leader	Yes (via OERS) if it qualifies as a pipeline occurrence and also by telephone to TSB if it qualifies as a significant incident (see section 2.5 and procedure OPLO-06015)	Possibly. See Notes 1 & 2	Possibly. See Note 1	Yes, to FLP officer <b>within 24 hours if there are injuries, death, impairment of body function, or explosion</b> Employer of the injured worker would make the notification.	Yes, working with the property owner	Yes. Refer to section 3.19 for the appropriate code
A Level 1, 2 or 3 emergency on a non-CER pipeline	Yes	At the discretion of the CAMF Production Leader	No  OEB Pipeline - TSSA Reporting	Possibly. See Notes 1 & 2	Possibly. See Note 1	Yes, immediately to MOL if there are injuries. Employer of the injured worker would make the notification	Yes, working with the property owner	Yes. Refer to section 3.19 for the appropriate code

# NOVA Chemicals Corporation

## Corunna Operations

Revision No.	19	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES <b>ORGANIZATION</b>	Procedure No.	PER00002
			Page	10 of 33
Revision Date:	01.04.23		Initial issue date:	31.12.03

Pipeline Spill/Release	CAMF Production Leader	NOVA EOC	CER/TSB	MECP/ECCC	Canadian Municipalities & Agencies (9-1-1)	Ministry of Labour (MOL) or Federal Labour Program (FLP) Health and Safety Officer (Note 7)	Other Pipeline Companies in the Corridor	CAER
Note: TSSA notification not required for non-CER brine pipelines (PL-42)								

# NOVA Chemicals Corporation

# Corunna Operations

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	INCLUDING GENESIS PIPELINES	Page 11 of 33
	<b>ORGANIZATION</b>	Initial issue date: 31.12.03

Pipeline Spill/Release	CAMF Production Leader	NOVA EOC	CER/TSB	MECP/ECCC	Canadian Municipalities & Agencies (9-1-1)	Ministry of Labour (MOL) or Federal Labour Program (FLP) Health and Safety Officer (Note 7)	Other Pipeline Companies in the Corridor	CAER
<b>Pipeline emergency on NOVA Chemicals' property on a pipeline owned by another company. See Note 5</b>								
A Level 1, 2 or 3 emergency on someone else's pipeline located on our property	Yes	Yes	If required, will be made by the owner of the pipeline	If required, will likely be made by the owner of the pipeline	If required, will be made by NOVA Chemicals	Yes, if there are injuries. Employer of the injured worker would make the notification. Whether notification is federal or provincial will be dictated by the regulator of the pipeline.	Yes, working with the pipeline owner	Yes. Refer to section 3.17 for the appropriate code



Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	<b>ORGANIZATION</b>	Page 12 of 33
		Initial issue date: 31.12.03

Note 1: NOVA Chemicals' Environmental Department has established procedures for reporting spills. The Emergency Operating Centre (EOC) Responsible Care Officer or designate (Environment Team) and will make the MECP/ECCC and municipal notifications based on these established procedures.

Note 2: The EOC Responsible Care Officer or designate will use the information provided by the Incident Commander to determine if the abnormal discharge is reportable by using the Discharge Reporting Flowchart located in [Appendix SEM30007B](#) and [Reporting Guideline Flowchart SEM30007C](#). Under certain circumstances the Incident Commander can immediately notify the MECP Spills Action Centre and the Municipality, prior to notifying the Environment Team Leader and the Area Team Leader. Refer to NOVA Chemicals Procedure [SEM00007 Spill Response and Reporting](#) for further details on environmental notifications for Canadian releases. **Because CER pipelines are federally-regulated, any environmental emergency or environmental occurrence, such as an oil or chemical release, must be reported to Environment and Climate Change Canada to help ensure timely and effective oversight of the emergency response. This notification will be made through the SAC, who will in turn notify the ECCC.**

Note 3: It is the responsibility of the EOC to contact the Legal Department if there is a potential for adverse impact.

Note 4: Reporting to TSSA is completed through Spills Action Centre notification. Reporting an incident to SAC meets the regulatory requirement of reporting to TSSA. If there is an immediate need to disturb any article at the site and you wish to speak to a TSSA representative, you must inform the Spills Action Center operator that you want the TSSA Fuels Safety Program on-call person to contact you.

Note 5: It should be noted the NOVA Chemicals Responsible Care Learning System will be applied during any incident and where required, pipeline failure records will be kept per CSA Z662-19 Annex H.

Note 6: In either case of a NOVA Chemicals-owned pipeline emergency on someone else's property, or someone else's pipeline emergency on NOVA Chemicals' property, it is imperative that both companies work together to ensure proper notifications are made and that the issue is resolved safely and expeditiously. It is possible that both companies' EOCs will be activated and in contact.

Note 7: On provincially regulated pipelines, when applicable the Ministry of Labour notified by the EOC via the Ministry of Labour Health and Safety Contact Centre 1-877-202-0008. If a person, whether a worker or not, has been critically injured or killed at the workplace, the employer and the constructor, if any, must immediately notify the Ministry of Labour Health & Safety Contact Centre, the joint health and safety committee (or health and safety representative) and the union, if there is one. This notice must be by telephone or other direct means. Within 48 hours, the employer must also notify, in writing, a director of the Ministry of Labour, giving the circumstances of the occurrence and any information that may be prescribed.

On CER-regulated pipelines, under the *Canada Occupational Health and Safety Regulations* and the **Part II of the Canada Labour Code**, Federal Labour Program's Health and Safety Officer must be notified by the EOC of hazardous occurrences. For federally-regulated pipelines, the employer must report to a health and safety officer by telephone (1-800-641-4049 emergency

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	<b>ORGANIZATION</b>	Page 13 of 33
		Initial issue date: 31.12.03

services 24 hours), telex or fax as soon as possible but within 24 hours after becoming aware of an occurrence that resulted in:

- death of an employee
- **permanent disabling injury of an employee, or temporary disabling injury to two or more employees from the same occurrence**
- the loss by an employee of a body member or a part thereof or the complete loss of the usefulness of a body member or a part thereof;
- permanent impairment of a body function of an employee
- an explosion

**Authorization may be required from a health and safety officer before disturbing an accident scene where an employee has been killed or seriously injured. All Labour Program offices have an after-hours emergency telephone number that can be used to contact a health and safety officer.**

The employer must also report in writing to a health and safety officer, within 14 days, occurrences that resulted in:

- disabling injuries (temporary or permanent)
- electric shock, toxic atmosphere or oxygen deficient atmosphere that caused an employee to lose consciousness
- rescue, revival or other similar emergency procedures
- a fire or an explosion

The report should either be submitted using the form, Hazardous Occurrence Investigation Report (LAB 1070), or it must contain all the information required by this form and deemed acceptable to the Labour Program. Addresses and telephone numbers for the various district offices are available on the [Labour Program](#) website or by calling 1-800-641-4049.

**If submission of a Canada Labour Code Hazardous Occurrence Investigation Report (HOIR) is required in relation to this incident, submit the HOIR via email within 14 days to HOIR.Documents@cer-rec.gc.ca. The CER is delegated authority to receive HOIR on behalf of Employment and Social Development Canada Labour Program.**

**Motor vehicle accidents on public roads are subject to the same recording and reporting requirements identified above. If police investigated the accident, the police report must accompany the report on the investigation conducted by the police and the work place health and safety committee.**

**Both the employer's report and the police report must be submitted to a health and safety officer. The work place health and safety committee or health and safety representative must receive a copy of all investigation reports.**

**All records of hazardous occurrences, including the log of minor injuries, the employer investigation reports (including police reports), and the employer annual reports to the Minister, must be kept by the employer for a period of 10 years.**

If jurisdiction is unclear, notification to both federal and provincial labour agencies should be made.

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	<b>ORGANIZATION</b>	Page 14 of 33
		Initial issue date: 31.12.03

### Legend

Canadian Municipalities and Agencies – will be notified as required by **CAMF Shift Supervisor** via 9-1-1.

CAER – Sarnia-Lambton Community Awareness and Emergency Response

EDS – Eastern Delivery System owned by Plains Midstream

FLP – Federal Labour Program

CER – Canada Energy Regulator notified via online emergency reporting system (OERS) by EOC. CER Incident telephone line (403) 299-2773

NOVA EOC – NOVA Chemicals' Emergency Operations Centre notified by Incident Commander

TSB – Transportation Safety Board (Canada) phone: 819-997-7887, fax: 819-953-7876, email: [pipelinenotifications@tsb.gc.ca](mailto:pipelinenotifications@tsb.gc.ca) notified via online emergency reporting system (OERS) by EOC and also by phone if it is a significant incident (see section 2.5)

MECP – Ministry of Environment Conservation and Parks notified by EOC Responsible Care Officer or designate via Spills Action Centre 1-800-268-6060

**ECCC – Environment and Climate Change Canada notified by EOC Responsible Care Officer or designate via Spills Action Centre 1-800-268-6060**

MOL – Ministry of Labour

**For further information on the roles of these groups, refer to PERT Manual section 3.16.**

## **2.5 PIPELINE REGULATORY REPORTING**

Note: When pipeline emergencies are reported, the Pipeline Regulatory Specialist / delegate should be contacted immediately to initiate the notification process to applicable Regulatory agencies.

### **2.5.1 CANADA ENERGY REGULATOR/TRANSPORTATION SAFETY BOARD REPORTING**

If CER and TSB notification is required per the tables above (incidents happen on federally regulated lines), report to the CER's Online Event Reporting System (OERS) <https://apps.CER-one.gc.ca/ers/home/index>). For example this might include incidents, unauthorized activities, damage, suspension of consent, contraventions under the Damage Prevention regulations, and operations and maintenance activities.<sup>2</sup>

<sup>2</sup>. Refer to procedure OPLO-06015 *Reporting Pipeline Incidents and Occurrence CER and TSB* and OPLO-16015A *Recognizing Reportable Pipelines Incidents and Occurrences on CER-Regulated Pipelines* for details on reporting an event in the OERS.

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	<b>ORGANIZATION</b>	Page 15 of 33
		Initial issue date: 31.12.03

The Online Event Reporting System (OERS) automates the single-window pipeline occurrence notification process that was established by the TSB and the Canada Energy Regulator (CER) in 1999. As soon as possible after the occurrence, enter the information you have about it into the OERS. When the information is submitted, the OERS will automatically notify the TSB and the CER.

The OERS must be used to report all pipeline occurrences. If the OERS is not available, all pipeline occurrences must be reported by telephone to the TSB at **819-997-7887**.

Under TSB regulations, a "pipeline occurrence" must be reported if

- A. the pipeline sustains damage that affects the safe operation of the pipeline as a result of another object coming into contact with it;
- B. an unauthorized third party activity affects the structural integrity of the pipeline;
- C. a geotechnical, hydrotechnical or environmental activity poses a threat to the safe operation of the pipeline;
- D. the occurrence results directly from the operation of the pipeline, where:
  - a. a person is killed or sustains a serious injury;
  - b. there is a fire, ignition or explosion that
    - i. affects the safe operation of the pipeline, or
    - ii. poses a threat to the safety of any person, property or the environment;
  - c. there is an occurrence that results in
    - i. an unintended or uncontrolled release of hydrocarbon gas,
    - ii. an unintended or uncontrolled release of HVP hydrocarbons,
    - iii. an unintended or uncontrolled release of LVP hydrocarbons in excess of 1.5 m<sup>3</sup> or
    - iv. an unintended or uncontrolled release of a commodity other than hydrocarbon gas, HVP hydrocarbons or LVP hydrocarbons;
  - d. there is a release of a commodity from the line pipe body;
  - e. the pipeline is operated beyond design limits or any operating restrictions imposed by the Canada Energy Regulator;
  - f. the pipeline restricts the safe operation of any mode of transportation.<sup>3</sup>

Section 52 of the OPR requires companies to notify the Regulator of all incidents relating to the construction, operation, or abandonment of their pipelines.

An "incident" is defined in section 1 of the OPR as an occurrence that results in:

- a) the death of or serious injury to a person;
- b) a significant adverse effect on the environment;
- c) an unintended fire or explosion;
- d) an unintended or uncontained release of low-vapour pressure (LVP) hydrocarbons in excess of 1.5 m<sup>3</sup>;
- e) an unintended or uncontrolled release of gas or high-vapour pressure (HVP) hydrocarbons;

<sup>3</sup> Per TSB regulations found at <http://www.tsb.gc.ca/eng/incidents-occurrence/pipeline/index.asp>

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	<b>ORGANIZATION</b>	Page 16 of 33
		Initial issue date: 31.12.03

- f) the operation of a pipeline beyond its design limits as determined under CSA Z662 or CSA Z276 or any operating limits imposed by the Regulator.

There are other notifications to the CER required under Damage Prevention Regulations; however, unless a pipeline incident results from one of the contraventions, it does not constitute an emergency therefore details on those reporting requirements are not included in this manual.

### IMPORTANT

Where regulations require an event to be reported immediately, companies must also consider whether the event meets any of the following definitions:

#### An Incident that Harms People or the Environment:

- a death;
- a serious injury (as defined in the OPR or TSB regulations);
- an unintended or uncontrolled LVP hydrocarbon release in excess of 1.5 m<sup>3</sup> that leaves company property or occurs on or off the right of way;
- an unintended or uncontrolled sweet natural gas or HVP release >30,000 m<sup>3</sup>;
- any unintended or uncontrolled release of sour natural gas or hydrogen sulfide; and/or
- a significant adverse effect on the environment (a release of any chemical or physical substance at a concentration or volume sufficient to cause an irreversible, long-term, or continuous change to the ambient environment in a manner that causes harm to human life, wildlife, or vegetation)
- a fire, ignition or explosion that poses a threat to the safety of any person, property or the environment

**A Rupture:** an instantaneous release that immediately impacts the operation of a pipeline segment such that the pressure of the segment cannot be maintained.

**•A Toxic Plume:** a band of service fluid or other contaminant (e.g. hydrogen sulfide or smoke) resulting from an incident that causes people, including employees, to take protective measures (e.g. muster, shelter-in-place or evacuation).

Where an event meets any of the above definitions, companies are required to notify the TSB Reporting Hotline at (819) 997-7887 or 1-800-387-3557 (toll-free in Canada). Subsequently, the company is required to input the details required by both the TSB and the CER into the OERS. **The phone notification and the input of information into OERS are required to occur as soon as possible and no later than three hours of the incident being discovered.** The goal of the initial phone notification is to allow the relevant agencies to mobilize a response to an incident, if required. Note that OERS will automatically determine whether the event meets the definition of an “Incident that Harms People or the Environment”, however the company will be responsible for specifically indicating whether the incident meets the definitions of “Rupture” and “Toxic Plume”.

For all other events or pipeline occurrences that do not meet any of the definitions in this section (An Incident that Harms People or the Environment, a Rupture or a Toxic Plume), companies

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	<b>ORGANIZATION</b>	Page 17 of 33
		Initial issue date: 31.12.03

are not required to phone the TSB Reporting Hotline but must report the event as soon as possible and no later than twenty-four hours after the event was discovered.<sup>4</sup>

There are different reporting timelines and requirements depending on the incident. Those with the potential to discover an incident and those responsible for reporting incidents are trained on the proper notifications and reporting methods.

## 2.5.2 ONTARIO ENERGY BOARD/TECHNICAL STANDARDS AND SAFETY AUTHORITY

For pipelines which are regulated by the Ontario Energy Board (OEB), operating requirements are administered by the Technical Standards and Safety Authority (TSSA). Reporting incidents to the TSSA is required under the Technical Standards and Safety Act; Regulation 2010/01: Oil and Gas Pipeline Systems.

### Accidents and occurrences

**14.** (1) Where it appears that carbon monoxide poisoning, asphyxiation, explosion or fire has occurred, or an accidental release, vent, leak or spill has occurred because of the use, handling or storage of hydrocarbons covered under the *Technical Standards and Safety Act*, the certificate/ROT/license holder, operator, contractor or distributor shall notify forthwith an inspector of the occurrence by telephone, facsimile, or any other form of electronic transmission, and a registration/licence holder shall have in place procedures for such notification.

(2) No person shall interfere with or disturb any wreckage, article or thing at the scene of an occurrence that is connected with it (except in the interest of public safety) until such time as an inspector has given permission to do so.

**TSSA has an agreement in place with the MECP Spills Action Centre (SAC) to receive notifications under the Act. All reporting of incidents involving hydrocarbon fuels or their utilization equipment is done through the SAC. They can be reached at 1-800-268-6060 or 1-416-325-3000, 24 hrs per day, seven days per week. Reporting an incident to SAC meets the regulatory requirement of reporting incidents to TSSA. If there is an immediate need to disturb any article at the site and you wish to speak to a TSSA representative, you must inform the Spills Action Centre operator that you want the TSSA Fuels Safety Program on-call person to contact you.**

The TSSA published a [guideline](#) to further describe the reporting requirements and process. Below are the regulatory requirements for reporting an incident to the TSSA.

- **Pipeline Strikes** — Pipeline strikes shall be reported immediately through SAC where the strike has caused evacuation, injuries, or media attention. All other pipeline strikes must be reported to TSSA within two weeks of the occurrence following a protocol acceptable to TSSA.

<sup>4</sup> Per [CER Event Reporting Guidelines](#)



Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	<b>ORGANIZATION</b>	Page 18 of 33
		Initial issue date: 31.12.03

- **Explosions** — Explosions must be reported where they have caused injury, damage to the equipment, or a fire. Minor ‘delayed ignitions’ would not normally be considered to be reportable.
- **Liquid Petroleum Spills** — Spills are product escapes that result from operating errors. Any spill of a petroleum product in excess of
  - 100 litres at sites restricted from public access (i.e. bulk facility, private fuel outlet, private residence, etc).
  - 25 litres at sites with public access (i.e. retail service station, marina, etc) must be immediately reported to the SAC.
  - Spills of lesser quantities need not be reported to TSSA fuels safety, unless the spill would:
    - create a hazard to public health or safety,
    - contaminate any fresh water source or waterway,
    - interfere with the rights of any person, or
    - allow entry of product into a sewer system or underground stream or drainage system.
- **Leaks** — Leaks are product escapes that result from equipment failures. All confirmed leaks, regardless of quantity released, must be immediately reported to the SAC.
- **Propane and Natural Gas** — Accidental releases that have resulted in the following shall be reported immediately through SAC:
  - Any unplanned ignition of propane including fire or explosion.
  - Any time an operator requests the assistance of emergency services, whether internal (in house emergency teams) or external (fire, police, ERAP etc.).
  - Any release resulting in media attention.
  - Any injury to a person requiring medical treatment as a direct result of the release or
  - All other accidental releases, abnormal venting and spills shall be reported to the Spills Action Centre within two weeks of the occurrence.
- **Discovery of a Petroleum Product that has escaped to the Environment or Inside a Building** — The discovery of a petroleum product that has escaped to the environment or inside a building must be reported as noted in TSSA’s Environmental Management Protocol for Operating Fuel Handling Sites (EMP) in Ontario. A copy of the EMP is available on TSSA’s web site, [www.tssa.org](http://www.tssa.org).

NOTE: It is critical that the EOC Responsible Care Officer or designate is informed of a call to SAC prior to initiation. Reporting to SAC as a TSSA requirement is significantly different than reporting to SAC for an environmental “spill”. The definition of a “spill” under environmental regulations is determined by SEM00007 Spill Response and Reporting, and may not align with the requirements to call SAC under TSSA.

The following is suggested for reporting to SAC strictly for TSSA requirements:

“NOVA Chemicals is calling to report a pipeline occurrence to the TSSA. This occurrence is reportable to the TSSA under Regulation 2010/01: Oil and Gas Pipeline Systems. This occurrence is NOT reportable as a spill to the MECP.”

Revision No. 19	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: 01.04.23	<b>ORGANIZATION</b>	Page 19 of 33
		Initial issue date: 31.12.03

Under TSSA, this incident aligns with the reporting requirements for **(pipeline strike, explosion, liquid petroleum release or leak, propane or natural gas accidental release, discovery of petroleum product that has escaped to the Environment or inside a building)**”

The following is suggested for reporting to SAC for a spill under SEM00007 as well as an occurrence to TSSA:

“NOVA Chemicals is calling to report spill to the MECP and a pipeline occurrence to the TSSA. This incident meets the definition of a spill, requiring reporting to the MECP. This incident is reportable to the TSSA under Regulation 2010/01: Oil and Gas Pipeline Systems.”

## NOVA Chemicals Corporation

## Corunna Operations

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL  INCLUDING GENESIS PIPELINES  <b>ORGANIZATION</b>	Procedure No. PER00002
Revision Date: <b>01.04.23</b>		Page 20 of 33
		Initial issue date: 31.12.03

### 2.6 SPILL/RELEASE NOTIFICATIONS FOR PIPELINES IN THE US

**If the release is a threat to human health or safety, call 911 or your local fire department.**

Refer to the legend and CFR 195 accident reporting details below

Pipeline Spill/Release	CAMF Production Leader	NOVA EOC	DOT (PHMSA) and NTSB through NRC	SCCDC (9- 1-1)	PEAS (covers EGLE and US Municipalities & Agencies) <sup>3&amp;4</sup>	LARA –MIOSHA	Other Pipeline Companies in the same corridor
Release of 5 gallons (19 litres) or more on Pipelines 16A, 18, 19 or 20 in the US (see note 9)	Yes	Yes	Yes via National Reporting Center – within one hour of confirmed discovery. 48-hour follow-up.	Yes – within 15 minutes	Yes – within 15 minutes. Municipalities and agencies will be contacted via EGLE/PEAS	Yes if the release results in fatality within 30 days or hospitalization within 24 hours. Notification must be within 8 hours for fatality or 24 hours for hospitalization	Yes
Release on Pipeline 39 in the US if discharge threatens public health, safety, environment or spill has reached surface water or groundwater	Yes	Yes	Pipeline 39 is not under DOT jurisdiction but calling the NRC should be considered because they are the source of notification for others (including coast guard)	Yes - within 15 minutes	Yes within 15 minutes. Municipalities and agencies will be contacted via EGLE/PEAS	Yes, if as a result a fatality occurs within 30 days from time of release or a hospitalization occurs within 24 hours from time of release. Notification must be within 8 hours for a fatality or 24 hours for hospitalization	Yes

**NOVA Chemicals Corporation****Corunna Operations**

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL  INCLUDING GENESIS PIPELINES  <b>ORGANIZATION</b>	Procedure No. PER00002
Revision Date: <b>01.04.23</b>		Page 21 of 33
		Initial issue date: 31.12.03

Pipeline Spill/Release	CAMF Production Leader	NOVA EOC	DOT (PHMSA) and NTSB through NRC	SCCDC (9- 1-1)	PEAS (covers EGLE and US Municipalities & Agencies) <sup>3&amp;4</sup>	LARA –MIOSHA	Other Pipeline Companies in the same corridor
Level 1 release of less than 5 barrels (210 US Gallons, 800 L) on Pipelines 16A, 18, 19 or 20 in the US resulting from maintenance activity. There could be no immediate danger of fire or threat to the public. If there were, it would be upgraded to an emergency scenario.	Yes	No	Note 5	Not if there is no immediate danger of fire or threat to the public	Not if there is no immediate danger of fire or threat to the public	Not if there is no immediate danger of fire or threat to the public	Unlikely

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	<b>ORGANIZATION</b>	Page 22 of 33
		Initial issue date: 31.12.03

Note 1: NOVA Chemicals' Environmental Department has established procedures for reporting spills. The EOC Responsible Care Officer or designate (Environment Team) will make the environmental notifications based on these established procedures.

Note 2: The EOC Responsible Care Officer or designate will use the information provided by the Incident Commander to determine if the abnormal discharge is reportable by using the Pipeline Discharge to United States Reporting Flowchart located in Appendix SEM10130A.

Note 3: PEAS is the EGLE Emergency Spills Notification System. PEAS will notify the local authorities, as appropriate (Coast Guard, Police, Fire, Bluewater Bridge, Police, Department of Human Resources, etc.). EGLE accepts notification on behalf of SERC.

Note 4: All spills need to be reported to the EGLE, or other agency with the most urgent need first. This is specified in the Pipeline Discharge to United States Reporting Flowchart (SEM10130A). If there is immediate danger of fire or threat to the public, the St. Clair Central Dispatch Centre must be notified first as that is the method we're able to reach 9-1-1 services in the US when calling from Canada.

Note 5: CFR 195.50: If the release is less than 5 barrels it is not required to have an accident report submitted if the following are true: it is not otherwise reportable under Section 195.50, it is not described in 195.52(a)(4), it is confined to company property or RoW, and is cleaned up promptly, and it does not result in the death of a person, personal injury requiring hospitalization, or cost more than \$50,000. Refer to SEM000130 and CFR 195 sections 50–56 for further details. The timelines for reporting are also found in these two documents.

Note 6: It is the responsibility of the EOC to contact the Legal Department if there is a potential for adverse impact.

Note 7: Some regulators require immediate telephone notification and follow-up written notification. Refer to SEM000130 and flow chart SEM10130A for further details.

Note 8: It should be noted the NOVA Chemicals Responsible Care Learning System will be applied during any incident.

Note 9: It is not always easy to determine the quantity or extent of the release in the short timeframe required by the DOT. If an initial estimate of the magnitude is difficult to determine, err on the side of caution and report to the applicable agencies.

Note 10: A report filed with NRC must be updated within 48-hours after the confirmed discovery of an accident, as per CFR 195.52(d). If there are no changes or revisions to the initial report, the operator must confirm the estimated in its initial report.

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES  <b>ORGANIZATION</b>	Procedure No. PER00002 Page 23 of 33  Initial issue date: 31.12.03
Revision Date: <b>01.04.23</b>		

**Legend**

NRC – National Response Center notified by the EOC (1-800-424-8802). See CFR 195.52(b) for details required to be provided at the time of notification.

SCCDC – St. Clair Central Dispatch Center notified by the EOC (1-810-985-8115). Notification of the St Clair County Office of Homeland Security/Emergency Management (the LEPC) occurs through the Central Dispatch Center.

LEPC – Local Emergency Planning Committee (1-810-989-6327) will be notified by SCCDC.

EGLE – Michigan Department of Environment, Great Lakes and Energy (contact made via PEAS)

PEAS – Pollution Emergency Alerting System (1-800-292-4706).

DOT – Department of Transportation (PHMSA) notified through the NRC by the EOC.

EPA – Environmental Protection Agency notified by EGLE or PEAS.

LARA – Department of Licensing and Regulatory Affairs. Notified via the Bureau of Fire Services or MIOSHA.

LARA Bureau of Fire Services – Notified through PEAS. Alternately, call Michigan State Police (MSP) Hazardous Materials (HazMat) hotline 1-800-525-5555.

LARA MIOSHA – Michigan Occupational Safety and Health Administration Fatality and Catastrophe Hotline (1-800-858-0397). To be notified if there is a fatality or hospitalization.

NTSB – National Transportation Safety Board notified through the NRC by the EOC.

SERC – State Emergency Response Commission notification made by NOVA through calling PEAS.

US Municipalities and Agencies – will be notified through PEAS.

**For further information on the roles of these groups, refer to PERT Manual section 3.16 and SEM000130 and flow chart SEM10130A.**

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	<b>ORGANIZATION</b>	Page 24 of 33
		Initial issue date: 31.12.03

## 2.7 49 CFR 195 ACCIDENT AND SAFETY-RELATED CONDITION REPORTING

### US 49 CFR §195.50 Reporting accidents.

An accident report is required for each failure in a pipeline system subject to this part in which there is a release of the hazardous liquid or carbon dioxide transported resulting in any of the following:

- a) Explosion or fire not intentionally set by the operator.
- b) Release of 5 gallons (19 liters) or more of hazardous liquid or carbon dioxide, except that no report is required for a release of less than 5 barrels (0.8 cubic meters) resulting from a pipeline maintenance activity if the release is:
  - 1) Not otherwise reportable under this section;
  - 2) Not one described in §195.52(a)(4);
  - 3) Confined to company property or pipeline right-of-way; and
  - 4) Cleaned up promptly;
- c) Death of any person;
- d) Personal injury necessitating hospitalization;
- e) Estimated property damage, including cost of clean-up and recovery, value of lost product, and damage to the property of the operator or others, or both, exceeding \$50,000.

### US 49 §195.52 Immediate notice of certain accidents.

- a) Notice requirements. At the earliest practicable moment following discovery, of a release of the hazardous liquid or carbon dioxide transported resulting in an event described in § 195.50, but no later than one hour after confirmed discovery, the operator of the system must give notice, in accordance with paragraph (b) of this section of any failure that:
  - 1) Caused a death or a personal injury requiring hospitalization;
  - 2) Resulted in either a fire or explosion not intentionally set by the operator;
  - 3) Caused estimated property damage, including cost of cleanup and recovery, value of lost product, and damage to the property of the operator or others, or both, exceeding \$50,000;
  - 4) Resulted in pollution of any stream, river, lake, reservoir, or other similar body of water that violated applicable water quality standards, caused a discoloration of the surface of the water or adjoining shoreline, or deposited a sludge or emulsion beneath the surface of the water or upon adjoining shorelines; or
  - 5) In the judgment of the operator was significant even though it did not meet the criteria of any other paragraph of this section.
- b) Information required. Each notice required by paragraph (a) of this section must be made to the National Response Center either by telephone to 800-424-8802 (in

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	<b>ORGANIZATION</b>	Page 25 of 33
		Initial issue date: 31.12.03

Washington, DC, 202-267-2675) or electronically at <http://www.nrc.uscg.mil> and must include the following information:

- 1) Name, address and identification number of the operator. NOVA Chemicals Corporation's Operator ID is 32215.
  - 2) Name and telephone number of the reporter.
  - 3) The location of the failure.
  - 4) The time of the failure.
  - 5) The fatalities and personal injuries, if any.
  - 6) Initial estimate of amount of product released in accordance with paragraph (c) of this section.
  - 7) All other significant facts known by the operator that are relevant to the cause of the failure or extent of the damages.
- c) Calculation. A pipeline operator must have a written procedure to calculate and provide a reasonable initial estimate of the amount of released product.
- d) New information. Within 48 hours after the confirmed discovery of an accident, to the extent practicable, an operator must revise or confirm its initial telephonic notice required in paragraph (b) of this section with revised estimate of the amount of product released, location of the failure, time of the failure, a revised estimate of the number of fatalities and injuries, and all other significant facts that are known by the operator that are relevant to the cause of the accident or extent of the damages. If there are no changes or revisions to the initial report, the operator must confirm the estimated in its initial report.

#### **US 49 §195.54 Accident reports.**

- a) Each operator that experiences an accident that is required to be reported under §195.50 must, as soon as practicable, but not later than 30 days after discovery of the accident, file an accident report on DOT Form 7000-1.
- b) Whenever an operator receives any changes in the information reported or additions to the original report on DOT Form 7000-1, it shall file a supplemental report within 30 days.

#### **US 49 §195.55 Reporting safety-related conditions.**

- a) Except as provided in paragraph (b) of this section, each operator shall report in accordance with §195.56 the existence of any of the following safety-related conditions involving pipelines in service:
  - 1) General corrosion that has reduced the wall thickness to less than that required for the maximum operating pressure, and localized corrosion pitting to a degree where leakage might result.
  - 2) Unintended movement or abnormal loading of a pipeline by environmental causes, such as an earthquake, landslide, or flood, that impairs its serviceability.
  - 3) Any material defect or physical damage that impairs the serviceability of a pipeline.



Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	<b>ORGANIZATION</b>	Page 26 of 33
		Initial issue date: 31.12.03

- 4) Any malfunction or operating error that causes the pressure of a pipeline to rise above 110 percent of its maximum operating pressure.
  - 5) A leak in a pipeline that constitutes an emergency.
  - 6) Any safety-related condition that could lead to an imminent hazard and causes (either directly or indirectly by remedial action of the operator), for purposes other than abandonment, a 20 percent or more reduction in operating pressure or shutdown of operation of a pipeline.
- b) A report is not required for any safety-related condition that—
- 1) Exists on a pipeline that is more than 220 yards (200 meters) from any building intended for human occupancy or outdoor place of assembly, except that reports are required for conditions within the right-of-way of an active railroad, paved road, street, or highway, or that occur offshore or at onshore locations where a loss of hazardous liquid could reasonably be expected to pollute any stream, river, lake, reservoir, or other body of water;
  - 2) Is an accident that is required to be reported under §195.50 or results in such an accident before the deadline for filing the safety-related condition report; or
  - 3) Is corrected by repair or replacement in accordance with applicable safety standards before the deadline for filing the safety-related condition report, except that reports are required for all conditions under paragraph (a)(1) of this section other than localized corrosion pitting on an effectively coated and cathodically protected pipeline.

#### **US 49 §195.56 Filing safety-related condition reports.**

- a) Each report of a safety-related condition under §195.55(a) must be filed (received by OPS) within five working days (not including Saturday, Sunday, or Federal Holidays) after the day a representative of the operator first determines that the condition exists, but not later than 10 working days after the day a representative of the operator discovers the condition. Separate conditions may be described in a single report if they are closely related. Reports may be transmitted by electronic mail to [InformationResourcesManager@dot.gov](mailto:InformationResourcesManager@dot.gov), or by facsimile at (202) 366-7128.
- b) The report must be headed “Safety-Related Condition Report” and provide the following information:
  - 1) Name and principal address of operator.
  - 2) Date of report.
  - 3) Name, job title, and business telephone number of person submitting the report.
  - 4) Name, job title, and business telephone number of person who determined that the condition exists.
  - 5) Date condition was discovered and date condition was first determined to exist.
  - 6) Location of condition, with reference to the State (and town, city, or county) or offshore site, and as appropriate nearest street address, offshore platform, survey station number, milepost, landmark, or name of pipeline.

**NOVA Chemicals Corporation****Corunna Operations**

Revision No. 19	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES <b>ORGANIZATION</b>	Procedure No. PER00002 Page 27 of 33 Initial issue date: 31.12.03
Revision Date: 01.04.23		

- 7) Description of the condition, including circumstances leading to its discovery, any significant effects of the condition on safety, and the name of the commodity transported or stored.
- 8) The corrective action taken (including reduction of pressure or shutdown) before the report is submitted and the planned follow-up or future corrective action, including the anticipated schedule for starting and concluding such action.

## NOVA Chemicals Corporation

## Corunna Operations

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL  INCLUDING GENESIS PIPELINES  <b>ORGANIZATION</b>	Procedure No. PER00002
Revision Date: <b>01.04.23</b>		Page 28 of 33
		Initial issue date: 31.12.03

### 2.8 NOTIFICATIONS FOR PIPELINE SPILL/RELEASE UNDER THE ST. CLAIR RIVER WHERE IT IS UNCLEAR WHETHER IT FALLS UNDER US OR CANADIAN BOUNDARIES

**If the release is a threat to human health or safety, call 911 or your local fire department.**

Refer to the legend and regulations in the previous sections.

Pipeline Spill/ Release	CAMF Production Leader	NOVA EOC	CER/TSB	MECP/ <b>ECCC</b>	Canadian Municipalities & Agencies <b>(9-1-1)</b>	DOT (PHMSA) and NTSB through NRC	SCCDC (9-1-1)	PEAS (covers EGLE and US Municipalities & Agencies) <sup>3&amp;4</sup>	LARA –MIOSHA
Release of 5 gallons (19 litres) or more on Pipelines 16A, 18, 19 or 20 under the river (unclear whether it's US or Canada) (see note 9)	Yes	Yes	Yes via OERS	Possibly. See Notes 1 & 2	Yes. Note that the Ministry of Labour must be notified if there are injuries.	Yes via National Reporting Center – within one hour of confirmed discovery. 48-hour follow-up.	Yes	Yes, contact PEAS within 15 minutes .	Yes, if as a result a fatality occurs within 30 days from time of release or a hospitalization occurs within 24 hours from time of release. Notification must be within 8 hours for a fatality or 24 hours for hospitalization

# NOVA Chemicals Corporation

# Corunna Operations

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL  INCLUDING GENESIS PIPELINES  <b>ORGANIZATION</b>	Procedure No. PER00002
Revision Date: <b>01.04.23</b>		Page 29 of 33
		Initial issue date: 31.12.03

Pipeline Spill/ Release	CAMF Production Leader	NOVA EOC	CER/TSB	MECP/ <b>ECCC</b>	Canadian Municipalities & Agencies <b>(9-1-1)</b>	DOT (PHMSA) and NTSB through NRC	SCCDC (9-1-1)	PEAS (covers EGLE and US Municipalities & Agencies) <sup>3&amp;4</sup>	LARA –MIOSHA
Release on Pipeline 39 in the if discharge threatens public health, safety, environment or spill has reached surface water or groundwater	Yes	Yes	Yes	Yes	Yes. Note that the Ministry of Labour must be notified if there are injuries.	Pipeline 39 is not under DOT jurisdiction but calling the NRC should be considered because they are the source of notification for others (including coast guard)	Yes	Yes contact PEAS within 15 minutes.	Yes, if as a result a fatality occurs within 30 days from time of release or a hospitalization occurs within 24 hours from time of release. Notification must be within 8 hours for a fatality or 24 hours for hospitalization

Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: <b>01.04.23</b>	<b>ORGANIZATION</b>	Page 30 of 33
		Initial issue date: 31.12.03

Note 1: NOVA Chemicals' Environmental Department has established procedures for reporting spills. The EOC Responsible Care Officer or designate (Environment Team) will make the environmental and/or municipal notifications based on these established procedures.

Note 2: The EOC Responsible Care Officer or designate will use the information provided by the Incident Commander to determine if the abnormal discharge is reportable by using the Discharge Reporting Flowchart located in Appendix SEM30007B for Canada and the Pipeline Discharge to United States Reporting Flowchart located in Appendix SEM10130A for the US. **Because CER pipelines are federally-regulated, any environmental emergency or environmental occurrence, such as an oil or chemical release, must be reported to Environment and Climate Change Canada to help ensure timely and effective oversight of the emergency response. This notification will be made through the SAC, who will in turn notify the ECCC.**

**The Canada-United States Joint Inland Pollution Contingency Plan (the "Inland Plan") facilitates a coordinated and integrated federal response to a polluting incident, along the inland boundary, that causes, or may cause, damage to the environment along the inland boundary or may constitute a threat to public safety, security, health, welfare, or property and provides a mechanism for cooperative responses among all levels of government. This also includes all federally recognized Indigenous Peoples (Canada) and Tribal Nations (U.S.). The Inland Plan may also be activated to facilitate the provision of assistance when only one country is affected, but the polluting incident is of such magnitude to justify a request for assistance from the other country.**

Note 3: PEAS is the EGLE Emergency Spills Notification System. PEAS will notify the local authorities, as appropriate (Coast Guard, Police, Fire, Bluewater Bridge, Police, Department of Human Resources, etc.).

Note 4: All spills need to be reported to the EGLE, or other agency with the most urgent need first. This is specified in the Pipeline Discharge to United States Reporting Flowchart (SEM10130A). If there is immediate danger of fire or threat to the public, the St. Clair Central Dispatch Centre must be notified first as that is the method we're able to reach 9-1-1 services in the US when calling from Canada.

Note 5: CFR 195.50: If the release is less than 5 barrels it is not required to have an accident report submitted if the following are true: it is not otherwise reportable under Section 195.50, it is not described in 195.52(a)(4), it is confined to company property or RoW, and is cleaned up promptly, and it does not result in the death of a person, personal injury requiring hospitalization, or cost more than \$50,000. Refer to SEM000130 and CFR 195 sections 50–56 for further details. The timelines for reporting are also found in these two documents.

Note 6: It is the responsibility of the EOC to contact the Legal Department if there is a potential for adverse impact.

Note 7: Some regulators require immediate telephone notification and follow-up written notification. Refer to SEM000130 and flow chart SEM10130A for further details.

Note 8: It should be noted the NOVA Chemicals Responsible Care Learning System will be applied during any incident and where required, pipeline failure records will be kept per CSA Z662-19 Annex H.

Note 9: It is not always easy to determine the quantity or extent of the release. If an initial estimate of the magnitude is difficult to determine, err on the side of caution and assume that the threshold of notifying additional parties has been reached.

**NOVA Chemicals Corporation****Corunna Operations**


Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL  INCLUDING GENESIS PIPELINES  <b>ORGANIZATION</b>	Procedure No.    PER00002  Page                31 of 33   Initial issue date:  31.12.03
Revision Date: <b>01.04.23</b>		

Note 10: A report filed with NRC must be updated within 48-hours after the confirmed discovery of an accident, as per CFR 195.52(d). If there are no changes or revisions to the initial report, the operator must confirm the estimated in its initial report.

Note 11: Pipeline operators (NOVA Chemicals) (following accidents that result in hazardous Liquid spills) are to provide SDS on the liquid to the designated Federal On-Scene Coordinator and appropriate State and local emergency responders within 6 hours of a telephonic or electronic notice of the accident to the National Response Center.


Revision No. <b>19</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES <b>ORGANIZATION</b>	Procedure No. PER00002
Revision Date: <b>01.04.23</b>		Page 32 of 33
		Initial issue date: 31.12.03

## 2.9 EMERGENCY RESPONSE ORGANIZATION (FROM MEERS SECTION 1 – EMERGENCY MANAGEMENT PROGRAM)



Revision No. 19	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00002
Revision Date: 01.04.23	<b>ORGANIZATION</b>	Page 33 of 33
		Initial issue date: 31.12.03

## 2.10 CAER MANUAL – EMERGENCY NOTIFICATIONS TO MUNICIPALITIES AND PUBLIC





Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 1 of 31
		Initial issue date: 31.12.03

### 3.1 INTRODUCTION

This section describes the functions of individuals designated in the Pipeline Emergency Response Organization. Emergency response positions have been designed around the availability of personnel on a 24-hour/day basis. All positions in the Emergency Response Organization are filled by people who can be reached through call-out systems. All leadership positions in the Emergency Response Organization will have some level of designated backup.

These group functions and the individual roles that support these groups have their responsibilities outlined in the following segments.

- CAMF Shift Supervisor
- NOVA Chemicals CAMF Production Team Leader /
- NOVA Chemicals EOC Manager
- Occupational Safety, Emergency Preparedness and Security Coordinator/Specialist
- CAMF Production Leader
- Pipeline Integrity and Rail Supervisor
- Material Flow Technician
- Material Flow Control Room Technician
- Pipeline Day Technician
- Pipeline Regulatory Specialist
- LamSar, Inc. First Responder
- **Municipal Fire Departments**

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 2 of 31
		Initial issue date: 31.12.03

**PIPELINE EMERGENCY RESOURCE:****CAMF Shift Supervisor****SECTION 3.2****ROLE:**

The CAMF Shift Supervisor will be the Incident Commander and will coordinate response to all pipeline emergencies.

**RESPONSIBILITIES:**

- Observe pipeline emergency location, from a safe distance.
- Verify and evaluate the nature of the pipeline emergency.
- Recommend CAER Code Classification.
- **Make call to 9-1-1 if municipal fire/police response is required.**
- Reference First Responder Check List in Section 9.
- Responsible for overall management of the emergency scene (if located on a NOVA Chemicals Site). Verification and evaluation of the pipeline emergency.
- Decide whether to activate NOVA Chemicals EOC.
- When located on NOVA Chemicals' property, assist in securing of the emergency area.
- Decide if vapour cloud ignition is appropriate and if so initiate or recommend to local authorities if at an offsite location.
- Liaise with other responding agencies in field, as required.
- Liaise with NOVA Chemicals CAMF Production Team Leader

**TRAINING/SKILLS PROVIDED:**

Knowledge of product, hazards, customer impacts, pipeline operation procedures, emergency response plan, incident command process and CAER code awareness.

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 3 of 31
		Initial issue date: 31.12.03

**PIPELINE EMERGENCY RESOURCE:****NOVA Chemicals CAMF Production Team  
Leader****SECTION 3.3****ROLE:**

Liaison between the Incident Commander and the NOVA Chemicals EOC Manager during a Pipeline Emergency.

**RESPONSIBILITIES:**

- Respond to the pipeline emergency to act as an additional resource to the CAMF Shift Supervisor until emergency response resources are mobilized at the scene.
- Provides (i.e. in person, phone, radio) a field level update to the NOVA Chemicals EOC Manager once emergency response resources are mobilized at the pipeline emergency.
- Provide strategic emergency response guidance to CAMF Shift Supervisor and NOVA Chemicals EOC Manager.
- Interface with Municipal Emergency Operations Center.
- Authority to order changes to unit/process operations strategy.

**TRAINING / SKILLS PROVIDED:**

Knowledge of product, hazards, customer impacts, pipeline operation procedures, emergency response plan, incident command process and CAER code awareness.

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 4 of 31
		Initial issue date: 31.12.03

PIPELINE EMERGENCY RESOURCE:

NOVA Chemicals EOC Manager

**SECTION 3.4****ROLE:**

Corunna Site focal point at the NOVA Chemicals Emergency Operations Centre. Responsible for facilitating the deployment of resources to the scene of pipeline emergencies as requested.

- Assists the Incident Commander with the assembly of response groups and resources to the scene.
- After the initial calls are made, EOC is assembled with EOC resource staff as needed.
- Debriefs and reports on emergency.

**RESPONSIBILITIES:**

- Requests notification of CER (Canada Energy Regulator), MECP (Ministry of Environment, Conservation and Parks), TSB (Transportation Safety Board) and any other relevant Canadian regulatory agencies based on the advice of regulatory specialists.
- Requests notification of PHMSA (Pipeline and Hazardous Materials Safety Administration – DOT, OPS), Michigan Department of Environment, Great Lakes and Energy (EGLE) and Environmental Protection Agency (EPA) and any other relevant US regulatory agencies based on the advice of regulatory specialists.
- Provides continued coverage to the NOVA Chemicals Emergency Operation Centre on site.
- Addresses resource request from the NOVA Chemicals emergency organization.
- Provides regular status updates to appropriate groups and individuals within the emergency organization.
- Coordinates off-site media contact and inquiries referring them to the EOC Coordinator, Communications Department, or CAMF Production Leader
- Notifies other companies impacted.
- Ensures log of communications, times, etc. is kept at the Operations Centre.
- Arranges for continued role coverage during extended incidents.
- Provides NOVA Chemicals personnel to impacted county or municipality as appropriate and provides personnel to respond to their EOC, as requested.
- Considers use of 3<sup>rd</sup> party expert.

**TRAINING/SKILLS REQUIRED:**

Knowledge of the Emergency Response Plan, contacts and available resources, as well as crisis management skills and the ability to effectively communicate with all organizational levels

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04. <b>23</b>	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 5 of 31
		Initial issue date: 31.12.03

**PIPELINE EMERGENCY RESOURCE:****Occupational Safety, Emergency  
Preparedness and Security Specialist****SECTION 3.5****ROLE:**

To provide training and consultation in preparation of an incident and provide communication and coordination during an incident.

**RESPONSIBILITIES:**

- Provide training to internal and external agencies for Manufacturing East Pipeline system emergency response.
- Liaison between agencies and organizations, specifically through participation in CAER.
- Consult with interested parties on developing and updating emergency response processes.
- Work with other responding agencies and the NOVA Chemicals EOC as a subject matter expert and emergency response advisor.

**TRAINING/SKILLS PROVIDED:**

Subject matter expert in product hazards, emergency response, and emergency communication.

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES <b>ROLES &amp; RESPONSIBILITIES</b>	Procedure No. PER00003 Page 6 of 31 Initial issue date: 31.12.03
Revision Date: 01.04. <b>23</b>		

**PIPELINE EMERGENCY RESOURCE:****CAMF Production Leader****SECTION 3.6****ROLE:**

Leadership presence at EOC, provide technical assistance, and interface with local jurisdiction.

**RESPONSIBILITIES:**

- Detailed knowledge of NOVA Chemicals Business Policies
- Respond to EOC
- Knowledge of pipeline products and hazards
- Customer impact awareness

**TRAINING/SKILLS PROVIDED:**

Knowledge of business policies, knowledge of product and hazards, Emergency Operations Centre awareness, and incident command awareness.

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES <b>ROLES &amp; RESPONSIBILITIES</b>	Procedure No. PER00003 Page 7 of 31 Initial issue date: 31.12.03
Revision Date: 01.04.23		

**PIPELINE EMERGENCY RESOURCE:****Pipeline Integrity and Rail Supervisor****SECTION 3.7****ROLE:**

To respond to pipeline emergencies and provide technical assistance.

**RESPONSIBILITIES:**

- Detailed knowledge of Manufacturing East Pipeline System, including pipeline corridors (locations), product hazards, and management systems.
- Provide technical assistance with pipeline isolation if required.
- Assist in pipeline emergency record keeping and reporting as required.
- Work with other responding agencies and the NOVA Chemicals EOC as a technical advisor.
- Coordinate post incident product removal, pipeline repairs and pipeline depressurization, as required.

**TRAINING/SKILLS PROVIDED:**

Knowledge of pipeline operation, product hazards, pipeline layout, pipeline corridor knowledge (who shares pipeline corridors), and the Pipeline Management System.

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04. <b>23</b>	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 8 of 31
		Initial issue date: 31.12.03

**PIPELINE EMERGENCY RESOURCE:****Material Flow Technician****SECTION 3.8****ROLE:**

To respond to pipeline emergencies as First Responder, as directed by CAMF Shift Supervisor.

**RESPONSIBILITIES:**

- To respond to request from the Material Flow Control Room Technician.
- Observe pipeline emergency location, from a safe distance.
- Verify and evaluate the nature of the pipeline emergency.
- To discuss isolation of pipeline with Material Flow Control Room Technician, if required.
- Maintain contact with CAMF Shift Supervisor
- Reference First Responder Check List in Section 9.

**TRAINING / SKILLS PROVIDED:**

Knowledge of product, hazards, customer impacts, pipeline operation procedures and emergency response plans.



Revision No. 21	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 9 of 31
		Initial issue date: 31.12.03

**PIPELINE EMERGENCY RESOURCE:****Material Flow Control Room Technician****SECTION 3.9****ROLE:**

Point of contact with other companies

**RESPONSIBILITIES:**

- Monitors Control Room activities
- Takes direction from the CAMF Shift Supervisor
- Main contact for Material Flow Technician
- Makes call to US contacts for valve isolations: DCP for NOVA-owned valves on their site, and LamSar US for Michigan St. Clair River Crossing Valve Compound

**TRAINING / SKILLS PROVIDED:**

Knowledge of product, hazards, customer impacts, pipeline operation procedures and emergency response plans.

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04. <b>23</b>	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 10 of 31
		Initial issue date: 31.12.03

<b>PIPELINE EMERGENCY RESOURCE:</b>	<b>Pipeline Day Technician</b>
-------------------------------------	--------------------------------

## SECTION 3.10

### ROLE:

To support Material Flow Operations during a pipeline emergency

### RESPONSIBILITIES:

- Assisting Material Flow Control Room Technician in the event of a pipeline emergency.
- Assisting with the CAMF Shift Supervisor as Technical Advisor.

### TRAINING/SKILLS PROVIDED:

Knowledge of product, hazards, customer impacts, pipeline operation procedures, emergency response plan, incident command process and CAER code awareness.

Revision No. 21	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 11 of 31
		Initial issue date: 31.12.03

**PIPELINE EMERGENCY RESOURCE:****Pipeline Regulatory Specialist****SECTION 3.11****ROLE:**

Knowledge of pipeline regulatory reporting requirements. Knowledge of regulatory organizational contacts.

**RESPONSIBILITIES:**

- Reports pipeline emergency to applicable regulatory agency as determined by Pipeline Management System procedures or as requested by the NOVA Chemicals EOC.
- Provides pipeline regulatory guidance and consistency to the NOVA Chemicals EOC, CAMF Production Leader, or Pipeline Integrity and Rail Supervisor.

**TRAINING/SKILLS PROVIDED:**

Regulatory jurisdiction knowledge, Manufacturing East Pipeline Management System knowledge, regulatory contacts, and knowledge of 3<sup>rd</sup> party regulatory experts, both internal and external.

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 12 of 31
		Initial issue date: 31.12.03

**PIPELINE EMERGENCY RESOURCE:****LamSar, Inc. First Responder(s)****SECTION 3.12****ROLE:**

To respond to Material Flow pipeline emergencies for NOVA Chemicals products in St. Clair County, Michigan, U.S.A. The LamSar, Inc. representative for NOVA Chemicals is a First Responder for incidents occurring in the US.

**RESPONSIBILITIES:**

- Knowledge of products shipped to the St. Clair County, Michigan area: SDS will be provided for Ethane, Brine, NGL(s).
- Respond to requests from the Material Flow Control Room Technician.
- Observe pipeline emergency location, from a safe distance.
- Verify and evaluate the nature of the pipeline emergency.
- To discuss isolation of pipeline with Material Flow Control Room Technician, if required.
- **Complete valve isolation in Michigan St. Clair River Crossing Valve Pit if directed by Material Flow Control Room Technician.**
- Establish/maintain contact with Pipeline Integrity and Rail Supervisor and CAMF Shift Supervisor
- Work with local officials to assist in taking steps to protect people, environment and property.
- Work with responding agencies in incident management
- Remain at the emergency scene until NOVA Chemicals representative arrives, then provide support to the NOVA Chemicals representative.

**TRAINING/SKILLS PROVIDED:**

Knowledge of product, hazards, pipeline facilities, environmental and emergency requirements and pipeline emergency procedures.

Revision No. 21	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 13 of 31
		Initial issue date: 31.12.03

**PIPELINE EMERGENCY RESOURCE:****Municipal Fire Departments****SECTION 3.13****ROLE:**

To respond to pipeline emergencies after receipt of 9-1-1 call from public or notification from pipeline operator.

**RESPONSIBILITIES:**

- Respond to location/address as directed by 9-1-1 dispatch.
- Establish command, complete scene size-up and investigate.
- Deploy emergency resources/equipment as required.
- Notify pipeline owner/operator (if notification came from public and not operator). This may be notification to multiple pipeline owners/operators if the source of the emergency is not clear.
- Issue CAER Code 5 for suspected pipeline emergency.
- FD Incident Commander shall liaise with the NOVA Chemicals Incident Commander upon arrival to the scene.
- FD Incident Commander/NOVA Incident Commander shall establish a Unified Command Structure and develop an incident action plan.
- Based on the nature of the pipeline emergency, Unified Command shall request additional resources (if required) to be deployed and will report to the staging area upon arrival.

**TRAINING/SKILLS PROVIDED:**

NFPA Firefighter II Certified  
NFPA 1021-1 Officer Certified (for on-scene officer only)

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 14 of 31
		Initial issue date: 31.12.03

### 3.14 PROCEDURES FOR FIELD LOCATION OF A PIPELINE LEAK

Before travelling to a suspected leak site, ensure that you have a reliable method of communication (radio and/or cellular telephone) and a Pipeline Emergency Response Manual. In the event radio communication is not available, cellular phones will be the alternate method of communication to the EOC.

1. Know where you are at all times and update the Corunna Emergency Operations Centre (EOC) periodically. (Update timing to be determined by EOC manager.)  
Note: First Responder will maintain contact with the CAMF Shift Supervisor.
2. Ensure that you are a safe distance from the pipeline at all times – 1 km (0.6 mi) or more, as wind may be blowing a vapour cloud towards you. If required, approach from upwind.
3. A major leak will produce significant noise, which may be heard 1 km to 3 km (0.6 to 1.86 mi) away. Stop the vehicle, roll down the window at 1 km (0.6 mi) intervals and listen for escaping gas noise.
4. A large high vapour pressure (HVP) leak will produce a visible vapour cloud. This vapour cloud may reach up to downwind 1.1 km (0.6 mi) and may not be visible to the outer extremity of the explosive limit. The lower flash point products will have vapour clouds that may reach up to 300 m (328 yds.). Vapours may be toxic requiring self-contained breathing apparatus.
5. When a leak location is confirmed, relay all information back to the CAMF Shift Supervisor/EOC and restrict travel into the area where possible until municipal services arrive. Request CAER CODE 5 to be activated (and if required, CODE 6).

### FIRST RESPONDER ACTIONS:

The Material Flow Technician and CAMF Shift Supervisor will respond to the emergency scene and verify the magnitude of the emergency.

Regardless of the magnitude of the emergency, the priorities for any NOVA responder remain the same:

1. Life Safety
2. Incident Stabilization
3. Environment and Property Protection

Public and personnel safety is the foremost priority for the Incident Commander. Most emergency situations will involve provincial and municipal governments as well as local disaster service agencies. Emergencies within the Chemical Valley will involve CAER. It is of utmost importance that the Incident Commander interact and cooperate with these agencies in the field.

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 15 of 31
		Initial issue date: 31.12.03

**ON-SCENE COMMAND POST RESPONSIBILITIES:**

In order to effectively manage an emergency, an On-Scene Command Post needs to be established. The following is a list of responsibilities that will be assumed by the On-Scene Command post for all emergencies.

1. Confirm level of emergency
2. Secure access to emergency area (CAER Code 6 activations – e.g., traffic control, shelter in place and/or evacuation).
3. Communicate and liaise with NOVA Chemicals EOC Manager.
4. Take action to minimize the impact of the release. Additional CAER codes may need to be activated. The following must be done:
  - Eliminate all ignition sources in immediate area.
  - Ground all equipment used for handling the product.
  - Prevent entry into waterways, sewers or confined spaces.
  - Stop leak if you can do it without risk.
  - Use a vapour suppressing foam to reduce vapours.
  - Absorb or cover with dry earth, sand or other material and transfer to containers.
  - Use non-sparking tools to collect absorbed material.
  - Dyke for large spills.
5. Ensure a log is maintained (include names, times; use tape recorder if available).
6. Work cooperatively with the emergency response organizations.
7. Ensure a media representative is designated at the site.
8. Monitor impacts of release as it relates to environment and personal safety.
9. On-Scene Commander is usually a public official or CAER Rep.
10. The magnitude of the emergency will determine the resources required at the scene. Additional resources are available if needed through the NOVA Chemicals EOC Manager.

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 16 of 31
		Initial issue date: 31.12.03

### 3.15 SPECIFIC ACTIONS – HVP PRODUCT PIPELINES

HVP product pipelines present hazards that warrant more specific response actions at the scene. With regard to the list of responsibilities, the On Scene Command Post must:

- Secure access to emergency area. NOVA Chemicals pipeline emergency guidelines are to secure a minimum area of at least 1.1 km (0.6 mi) in all directions from a leak site if a vapour cloud exists. Further evaluation to extend beyond 1 km (0.6 mi) will be made by the NOVA Chemicals representative on scene.
- Take actions to minimize the impact of the release. The following must be considered:
  1. Ignition of vapour cloud – all responders must be familiar with the guideline for ignition of vapour clouds (Section 5, Appendix 2).
  2. Use nitrogen to push HVP product past the leak point to a monitored flare system or a storage cavern.
- Recommend evacuations as required.
- Work co-operatively with other emergency response organizations. Most provincial/state, government and local emergency response agencies may not be familiar with products. The NOVA Chemicals representative must communicate and co-operate with these agencies to ensure safe, appropriate and timely response to the emergency
- A NOVA Chemicals EOC representative trained in media relations will be called to act as a media representative at the scene. A leak on an HVP product line may take several hours before the situation becomes safe and repair can be considered. The media will appear at the scene and must be managed. A media centre could be set up with regular update meetings. This may be co-ordinated through other responding agencies.



Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04. <b>23</b>	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 17 of 31
		Initial issue date: 31.12.03

### 3.16 SPECIFIC ACTIONS – FLAMMABLE AND COMBUSTIBLE LIQUIDS

All products produce hazardous vapours, which are ignitable from a distance with possible flashback. Personal protective equipment is required in all cases. These liquids also float on water, which increases the potential to travel distances and/or spread fires.

- Secure access to emergency area. NOVA Chemicals pipeline emergency guidelines are to secure a minimum area of 300 m (328 yards) in all directions from a leak site. If there is a fire, consider isolating and evacuating for 800 m in all directions.
- Take actions to minimize the impact of the release. The following must be considered:
  1. Use nitrogen to push product past the leak point to a monitored flare system.
  2. Dyke to prevent runoff to open waterways or storm sewers.
- Recommend evacuations as required.
- Work co-operatively with other emergency response organizations. Most provincial/state, government and local emergency response agencies may not be familiar with products. The NOVA Chemicals representative must communicate and co-operate with these agencies to ensure safe, appropriate and timely response to the emergency.
- A NOVA Chemicals EOC representative trained in media relations will be called to act as a media representative at the scene. A leak on **a flammable or combustible liquid** product line may take several hours before the situation becomes safe and repair can be considered. The media will appear at the scene and must be managed. A media centre could be set up with regular update meetings. This may be co-ordinated through other responding agencies.

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 18 of 31
		Initial issue date: 31.12.03

### 3.17 NOVA CHEMICALS EMERGENCY OPERATIONS CENTRE ACTIVITIES

The priorities of the NOVA Chemicals EOC are as follows:

1. Decision on notification of government agencies
2. Support the on scene NOVA Chemicals Representative
3. Notify corporate contacts
4. Maintain log

Local and provincial/state/federal government agencies include:

- Local/**Municipal Emergency Response – activated through 9-1-1 or CAER**
- Canada Energy Regulator (CER) and Transportation Safety Board (TSB)
- Ontario Energy Board (OEB) and Technical Standards and Safety Authority (TSSA)
- Ministry of Environment, Conservation and Parks (MECP)
- **National Environmental Emergencies Centre (NEEC)**
- Ministry of Labour (MOL)
- Federal Labour Program (FLP) **through Employment and Social Development Canada (ESDC)**
- US agencies (DOT/PHMSA, Michigan EGLE and EPA)

Government agencies may be involved in field activities for the large emergencies.

Support to the on-scene NOVA Chemicals representative involves:

- Acquiring needed manpower or ER equipment (using CAER code 9-1)
- Involving outside contractors (i.e. N<sub>2</sub> contractor) if requested
- Providing relief for on scene NOVA Chemicals representative
- Supplying meals, shelter, etc.
- Being involved in decisions with respect to evacuation or ignition
- Maintaining contact with the government EOC
- Provide appropriate environmental/personal monitoring equipment.
- If required, the corporate crisis management team can be activated.

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04. <b>23</b>	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 19 of 31
		Initial issue date: 31.12.03

### 3.18 PERT RACI CHART

See attached RACI Chart **for relevant parties**

**R** Responsible – the doer

**A** Accountable – the owner

**C** Consult – consult before decisions

**I** Inform – keep in the loop

**applicable after the receipt of the notification of emergency**

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 20 of 31
		Initial issue date: 31.12.03

## PERT RACI

### After notification of emergency

EMERGENCY RESPONSE PROCESS HIGH LEVEL STEP	ACTIVITIES	CAMF PRODUCTION LEADER	for US Emergencies only: MUNICIPAL INCIDENT COMMANDER / LAMSAR, INC.	SECURITY	EMERGENCY OPERATIONS CENTRE MANAGER	AUTHORITIES	PIPELINE REGULATORY SPECIALIST	RESOURCE (External & Internal including Pipelines)	For Canadian Emergencies: MUNICIPAL INCIDENT COMMANDER/ CAMF SHIFT SUPERVISOR	CAMF PRODUCTION TEAM LEADER
Assess Situation (NOVA)	Issue Notification		AR	R					A	
Assess Situation (FD)	Issue Notification								RA	
Mobilize First Response Teams	Make decision to allocate resources to respond to emergency (mobilize response team)	I	A		R				A	
	Arrange travel to/from scene		C						RA	
Establish On- scene command	Unified Command established NOVA/FD								RA	
Activate NOVA Chemicals Emergency Operations Centre	Contact NOVA Chemicals EOC Manager			R					A	C
Activate NOVA Chemicals Emergency Operations Centre	Establish communications between scene, NOVA Chemicals Emergency Operations Centre (EOC) and Resources/Incident Commander	C	C		A			C	R	C
Notify and Report Internal/External	Internal and external notification				AR	I		I		
	Notify regulatory authorities (see PERT section 2)		C		AR		R	I		

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 21 of 31
		Initial issue date: 31.12.03

EMERGENCY RESPONSE PROCESS HIGH LEVEL STEP	ACTIVITIES	CAMF PRODUCTION LEADER	for US Emergencies only: MUNICIPAL INCIDENT COMMANDER / LAMSAR, INC.	SECURITY	EMERGENCY OPERATIONS CENTRE MANAGER	AUTHORITIES	PIPELINE REGULATORY SPECIALIST	RESOURCE (External & Internal including Pipelines)	For Canadian Emergencies: MUNICIPAL INCIDENT COMMANDER/ CAMF SHIFT SUPERVISOR	CAMF PRODUCTION TEAM LEADER
Implement Response Strategies	Conduct initial assessment at scene	I	AR		I			C	AR	R
	Establish NOVA Chemicals Safe Work Plans (Employees and Contractors)	C	R		A	C		C		
	Provide advice on material properties and hazards	C	R		A			C	R	
	Provide technical advice and support	C	R		A			I		
	Provide record keeping, logs, photo, and reports of people and activity at scene		AR		A			R	R	
	Ensure adequate exposure monitoring is in place to protect society		AR		A	I		C		R
	Assist and provide recommendations with respect to on-scene activities (control measures) to authorities in charge of the incident		AR		A			C	R	
	Make decision on critical issues		R		A			C	R	R
	Interface with media at the scene if required		C		AR			C	C	C

# NOVA Chemicals Corporation

# Corunna Operations

Revision No. <b>21</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 22 of 31
		Initial issue date: 31.12.03

EMERGENCY RESPONSE PROCESS HIGH LEVEL STEP	ACTIVITIES	CAMF PRODUCTION LEADER	for US Emergencies only: MUNICIPAL INCIDENT COMMANDER / LAMSAR, INC.	SECURITY	EMERGENCY OPERATIONS CENTRE MANAGER	AUTHORITIES	PIPELINE REGULATORY SPECIALIST	RESOURCE (External & Internal including Pipelines)	For Canadian Emergencies: MUNICIPAL INCIDENT COMMANDER/ CAMF SHIFT SUPERVISOR	CAMF PRODUCTION TEAM LEADER
Implement Remedial Strategies	Area clean up (short term)	C	R		A	C		R	R	
	Initiate Repair Plan	A	C		I			R	I	
	Determine requirements for community dislocation assistance		C		C			C	AR	
	Decide all clear and demobilize emergency response (NOVA Chemicals resources)		R		A	C		I	R	
Debrief Emergency Response	Conducts debrief of emergency response	C	C	C	AR	C		C	C	
	Report on Emergency Response performance of contractors and resources	C	C	C	AR	C		C	C	
	Issue final report	C	C	C	AR	C		C	C	
Training	Identify training requirements	A	I		I			R	I	
	Complete training	A	R		I			R	I	

Revision No. <b>21</b>	MATERIAL FLOW PIPELINE EMERGENCY RESPONSE MANUAL	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 23 of 31
		Initial issue date: 31.12.03

### 3.19 GOVERNMENT AGENCY AND MUNICIPAL SUPPORT

This section outlines the services that the various departments, boards and agencies can provide during a pipeline release in Canada.

#### CANADA ENERGY REGULATOR (CER)

As the lead federal regulatory agency for all incidents that occur on CER-regulated facilities or activities, the CER:

- Monitors, observes, and assesses the overall effectiveness of a company's emergency response and holds the company accountable for responding appropriately
- confirms that a company is following its emergency procedures manual commitments, plans, and procedures and CER regulations, and identifies non-compliances and potential additional threats
- Participates in single or unified command and other roles within the ICS framework (or similar framework if ICS is not used).
- Investigates the event, either in cooperation with the Transportation Safety Board, under the Canada Labour Code, or as per the Canadian Energy Regulator Act or Canada Oil & Gas Operations Acts (whichever is applicable).
- Coordinates post-incident follow-up meetings with the company to further enforce compliance and to share knowledge obtained during the emergency
- Inspects and examines the integrity of the pipeline or facility and verifies that repairs are completed appropriately. Oversees clean-up and approves the restart of the pipeline
- Coordinates Indigenous and stakeholder feedback both during and after the emergency phase
- Requires appropriate remediation of contaminated areas
- Takes enforcement actions as required.

#### TRANSPORTATION SAFETY BOARD

##### TSB MANDATE

To advance transportation safety in the marine, pipeline, rail and air modes of transportation by

- conducting independent investigations, including public inquiries when necessary, into selected transportation occurrences in order to make findings as to their causes and contributing factors;
- identifying safety deficiencies as evidenced by transportation occurrences;
- making recommendations designed to eliminate or reduce any such safety deficiencies; and
- reporting publicly on our investigations and on the findings in relation thereto.

The CER is the lead federal regulatory agency for all incidents that occur on CER-regulated facilities or activities. The TSB may investigate an incident on a CER-regulated pipeline. For these incidents, the TSB is the agency responsible for determining the cause and contributing factors leading to the incident. The TSB issues a public report once it concludes its investigation.

During a TSB investigation, the CER conducts concurrent and co-operative analysis and regulatory oversight activities to determine factors relating to regulatory compliance, industry trends, and actions

Revision No. <b>21</b>	MATERIAL FLOW PIPELINE EMERGENCY RESPONSE MANUAL	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 24 of 31
		Initial issue date: 31.12.03

necessary to prevent similar occurrences. The CER will determine whether the company involved in the incident should put additional remedial measures in place. The CER will also make a decision on whether further action should also be taken by all CER-regulated companies to prevent similar incidents from happening again.

## ONTARIO ENERGY BOARD (OEB); TECHNICAL STANDARDS SAFETY AUTHORITY (TSSA)

### OEB

- Regulatory responsibility for pipeline systems located entirely within the province of Ontario.

### TSSA

- Technical Standards and Safety Authority (TSSA) mandate's administers compliance with all related regulatory requirements of OEB pipelines including the design, operation, maintenance, safety, and integrity requirements.
- Reporting and regulating body for pipeline occurrences through notification to the MECP Spills Action Centre.
- Investigates incidents in Ontario as required by regulation (i.e. involving death, injuries, fire, explosion, or substantial damage), and releases a follow-up report.

## ONTARIO MINISTRY OF THE ENVIRONMENT, CONSERVATION AND PARKS

An Environmental Officer will:

- document the information and actions taken
- assess the environmental and health impacts based on gathered information
- ensure responsible parties respond to spill events as per their legislative responsibility
- track and follow up on required clean-up activities
- provide advice and information related to spills or environmental incidents
- coordinate a response with other agencies, if needed
- initiate government response when required

## MUNICIPAL EMERGENCY CONTROL GROUP

- During an emergency response, a group of individuals representing different agencies would coordinate the response under the leadership of the Head of Council (i.e. Mayor or Warden). This group meets at an Emergency Operations Centre (EOC), located away from the actual disaster site. The two primary roles of the Emergency Control Group are to:
  - Oversee and coordinate the municipality's response and recovery (this includes continuation of essential services outside of the disaster area).
  - Support the on-scene responders and obtain any required resources and equipment on their behalf. The Control Group does not typically direct the on-scene response. An Incident Commander at the disaster site has the complete authority and responsibility for managing personnel at the scene.



Revision No. <b>21</b>	MATERIAL FLOW PIPELINE EMERGENCY RESPONSE MANUAL	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 25 of 31
		Initial issue date: 31.12.03

### **POLICE (ONTARIO PROVINCIAL / SARNIA)**

- Provide traffic control and scene security.
- Assist in implementation of evacuation/shelter-in-place and re-entry arrangements.
- Set up initial road closures.
- Determine detour routes.

### **ST. CLAIR TOWNSHIP FIRE DEPARTMENT / SARNIA FIRE**

- Respond to location/address as directed by 9-1-1 dispatch or pipeline operator and make appropriate notifications.
- Incident Commander shall liaise with the NOVA Chemicals Incident Commander upon arrival to the scene.
- Incident Commander/NOVA Incident Commander shall establish a Unified Command Structure and develop an incident action plan.
- Based on the nature of the pipeline emergency, Unified Command shall request additional resources (if required) to be deployed and will report to the staging area upon arrival.

### **NATIONAL ENVIRONMENTAL EMERGENCIES CENTRE (NEEC)**

- Environment and Climate Change Canada's (ECCC) 24/7 hub for providing scientific and technical advice aimed at reducing impacts and ensuring measures are taken to protect the environment.
- The Canada-United States Joint Inland Pollution Contingency Plan (the "Inland Plan") facilitates a coordinated and integrated federal response to a polluting incident, along the inland boundary, that causes, or may cause, damage to the environment along the inland boundary or may constitute a threat to public safety, security, health, welfare, or property and provides a mechanism for cooperative responses among all levels of government. This also includes all federally recognized Indigenous Peoples (Canada) and Tribal Nations (U.S.). The Inland Plan may also be activated to facilitate the provision of assistance when only one country is affected, but the polluting incident is of such magnitude to justify a request for assistance from the other country.

### **MINISTRY OF LABOUR (OCCUPATIONAL HEALTH AND SAFETY)**

- Notified to investigate fatalities or critical injuries that occur on provincially regulated pipelines.

### **FEDERAL LABOUR PROGRAM (HEALTH AND SAFETY OFFICER UNDER THE EMPLOYMENT AND SOCIAL DEVELOPMENT CANADA PORTFOLIO)**

- Notified to investigate fatalities or critical injuries that occur on CER-regulated pipelines.
- Notified of hazardous occurrences that occur on CER-regulated pipelines.

### **MINISTRY OF AGRICULTURE, FOOD AND RURAL AFFAIRS**

- Assess impacts of High Vapour Pressure (HVP / LVP) product release on agricultural resources.

Revision No. <b>21</b>	MATERIAL FLOW PIPELINE EMERGENCY RESPONSE MANUAL	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 26 of 31
		Initial issue date: 31.12.03

**This section outlines the services that the various departments, boards and agencies of the government can provide during a pipeline release in the US.**

## **PIPELINE AND HAZARDOUS MATERIALS SAFETY ADMINISTRATION (PHMSA) — PART OF THE DOT**

PHMSA's job is to protect people and the environment from pipeline failures by:

- Analyzing pipeline safety and accident data.
- Evaluating which safety standards need improvement and where new rulemakings are needed.
- Setting and enforcing regulations and standards for the design, construction, operation, maintenance or abandonment of pipelines by pipeline companies.
- Educating operators, states and communities on how to keep pipelines safe.
- Facilitating research & development into better pipeline technologies.
- Training state and federal pipeline inspectors.
- Administering grants to states and localities for pipeline inspections, damage prevention and emergency response.

## **NATIONAL TRANSPORTATION SAFETY BOARD (NTSB)**

- Investigates every civil aviation accident the United States and significant accidents in other modes of transportation – railroad, highway, marine and pipeline.
- Determines the probable cause of the accidents and issues safety recommendations aimed at preventing future accidents.
- Carries out special studies concerning transportation safety and coordinates the resources of the Federal Government and other organizations to provide assistance to victims and their family members impacted by major transportation disasters.

## **NATIONAL RESPONSE CENTER (NRC)**

- The federal government's national communications center, which is staffed 24 hours a day by U.S. Coast Guard officers.
- The designated federal point of contact for reporting all oil, chemical, radiological, biological and etiological discharge into the environment.
- Receives all reports of releases involving hazardous substances and oil that trigger federal notification requirements under several laws.
- Reports to the NRC activate the National Contingency Plan and the federal government's response capabilities. It is the responsibility of the NRC staff to notify the pre-designated On-Scene Coordinator assigned to the area of the incident and to collect available information on the size and nature of the release, the facility or vessel involved, and the party(ies) responsible for the release. The NRC maintains reports of all releases and spills in a national database.

Revision No. <b>21</b>	MATERIAL FLOW PIPELINE EMERGENCY RESPONSE MANUAL	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 27 of 31
		Initial issue date: 31.12.03

### **POLICE/FIRE (MARYSVILLE, MICHIGAN)**

- Provide traffic control and security.
- Assist in implementation of evacuation and re-entry arrangements.
- Set up initial road closures.
- Determine detour routes.

### **ENVIRONMENTAL PROTECTION AGENCY (EPA)**

- Provide support when requested or when state and local first responder capabilities have been exceeded
- Conduct removal actions to protect human health and the environment.
- Oversee and enforce actions conducted by potentially responsible parties by On-Scene Coordinators (OSCs), including:
  - Assessment
  - Monitoring
  - Response Assistance
  - Evaluation

### **STATE EMERGENCY RESPONSE COMMISSION (SERC)**

The Governor of each state has designated a State Emergency Response Commission (SERC) that is responsible for implementing the Emergency Planning and Community Right-to-Know Act (EPCRA) provisions within its state. The SERC's duties include:

- Establishing procedures for receiving and processing public requests for information collected under EPCRA
- Reviewing local emergency response plans
- Designating local emergency planning districts
- Appointing a Local Emergency Planning Committees (LEPC) for each district
- Supervising the activities of the LEPC

### **ST CLAIR COUNTY CENTRAL DISPATCH CENTER (SCCDC)**

NOVA Chemicals must notify the St Clair County Central Dispatch Center (810-985-8115 or 9-1-1), immediately following the incident. Notification of the St Clair County Office of Homeland Security/Emergency Management (LEPC) occurs through the Central Dispatch Center.

### **LOCAL EMERGENCY PLANNING COMMITTEES (LEPC)**

- Develops an emergency response plan, reviews the plan at least annually, and provides information about chemicals in the community to citizens. Plans are developed by LEPCs with stakeholder participation. The LEPC membership must include (at a minimum):
  - Elected state and local officials
  - Police, fire, civil defense, and public health professionals
  - Environment, transportation, and hospital officials

Revision No. <b>21</b>	MATERIAL FLOW PIPELINE EMERGENCY RESPONSE MANUAL	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 28 of 31
		Initial issue date: 31.12.03

- Facility representatives
- Representatives from community groups and the media

## **MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES AND ENERGY (EGLE)**

- Receives information about environmental incidents through the Pollution Emergency Alerting System (PEAS)
- Provides technical advice to first responders and responsible parties on actions they can take to minimize environmental damage.
- Monitors, observes and assesses the overall effectiveness of the company's emergency response
- Investigates the event

## **POLLUTION EMERGENCY ALERTING SYSTEM (PEAS)**

- Receives information about environmental incidents into the EGLE, via the 24/7 hotline 1-800-292-4706
- Distributes that information to appropriate staff internally, as well as to contacts in partner agencies, such as Michigan Department of Agriculture and Rural Development (MDARD), Michigan Department of Transportation (MDOT), Michigan State Police (MSP), Michigan Department of Natural Resources (MDNR) and Michigan Department of Human Services (MDCH), etc.

## **MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS (LARA)**

Regulator who oversees the Bureau of Fire Services and Michigan Occupational Health and Safety Administration

## **BUREAU OF FIRE SERVICES (BFS)**

- Incidents such as a fire, explosion, spill, leak, accident or related occurrence involving the transportation, storage, handling, sale, use or processing of hazardous material(s) by a firm, person or vehicle shall be reported immediately to the Bureau of Fire Services (BFS) via email to [lara-ust-ast@michigan.gov](mailto:lara-ust-ast@michigan.gov) and the Department of Environment, Pollution Emergency Alerting System (PEAS) at 1-800-292-4706.
- Works with the organized local fire department in which the incident occurred to determine the appropriate emergency measures to be taken.
- Notifies all responsible parties of the incident including federal, state and local authorities and agencies as well as the owner of the firm or vehicle involved in the incident if notification was made by any person other than the owner.
- Conducts investigation to determine the cause and contributing factors of the incident. Following the inspection, findings will be documented and kept on record at BFS.

## **MIOSHA (MICHIGAN OCCUPATIONAL HEALTH AND SAFETY ADMINISTRATION)**

- Ensure the safety of personnel against risks at the on-site activity.

Revision No. <b>21</b>	MATERIAL FLOW PIPELINE EMERGENCY RESPONSE MANUAL	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 29 of 31
		Initial issue date: 31.12.03

- Notified when there is a hospitalization or fatality.

#### **MICHIGAN DEPARTMENT OF AGRICULTURE & RURAL DEVELOPMENT (MDARD)**

- The MDARD Emergency Management Coordinator works with all of the Department's programs and external stakeholders to help develop plans and programs to prevent food, agriculture and animal emergencies; prepare for and respond to those that may occur; and recover from actual events.

#### **COUNTY OF ST. CLAIR OFFICE OF HOMELAND SECURITY / EMERGENCY MANAGEMENT**

- Coordinate local emergency resources for response
- Manage state and county emergency response as appropriate
- Deploy emergency resources/equipment as required.

#### **LOCAL PUBLIC SAFETY (FIRE, LAW, EMS)**

- Respond to location/address as directed by 9-1-1 (St. Clair Central Dispatch)/LEPC or pipeline operator.
- Fire Departments work with Pipeline Operators/Owners to determine appropriate emergency measures to be taken.
- Law Enforcement provide site security.
- EMS are on standby assist with any responder, industry worker, or citizen injuries.
- Resources that may also be called upon to assist can include (but not limited to)
  - Local HazMat Teams
  - Michigan Department of Environment, Great Lakes & Energy (EGLE)
  - United States Coast Guard (if near a navigable waterway)

Revision No. <b>21</b>	MATERIAL FLOW PIPELINE EMERGENCY RESPONSE MANUAL	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 30 of 31
		Initial issue date: 31.12.03

### 3.20 MUTUAL AID

#### COMMUNITY AWARENESS AND EMERGENCY RESPONSE ORGANIZATION- CAER

Mutual aid support through Industry and Municipal Services

#### PIPELINE EMERGENCY NOTIFICATION AND ASSISTANCE

LEVEL I: CAER CODE 8 (Notification of emergency being handled internally)

LEVEL II OR III: MAY REQUIRE SEVERAL CAER ASSISTANCE CODES INITIATED  
(5/6/9/91/92/10/10-1)

The function of Community Awareness and Emergency Response Organization (CAER) is to provide mutual aid to the members in case of an emergency beyond the resources of any one company.

In the case of Corunna Operations requesting the CAER Mobile Command Post to respond to an incident, the Emergency Response Advisor or alternate will co-ordinate and assist the personnel manning the Mobile Command Post.

The Corunna Operations plant borders on Petrolia Line and Highway 40. One or both of these could be subject to closure in case of an emergency. Any person, including our own people, would be stopped by the police. Plant personnel identification (I.D.) cards serve as passes to allow employees of a company which has been cordoned off, to pass through to give assistance to their own plant emergencies. I.D. cards must be carried at all times by anyone who may be called in.

A CAER Emergency Pass, issued by the Emergency Response Advisor, is distributed for CAER members from any one plant who provide mutual aid to other plants.

Revision No. <b>21</b>	MATERIAL FLOW PIPELINE EMERGENCY RESPONSE MANUAL	Procedure No. PER00003
Revision Date: 01.04.23	<b>ROLES &amp; RESPONSIBILITIES</b>	Page 31 of 31
		Initial issue date: 31.12.03

The following are CAER codes followed at Corunna Site:

- Code 5 An incident outside of industry potentially requiring CAER assistance.
- Code 6 Traffic control is required in designated areas. A site has experienced an event which is having or may have an impact on the surrounding community.  
(Evacuation or shelter-in-place for the community may also be necessary.)
- Code 7 Bomb Threat
- Code 8 A member site has experienced an unanticipated emergency event which may be noticeable to the surrounding community but will not adversely impact on it. CAER will take no action under this code. (Must be activated immediately once site emergency alarm initiated).
- Code 9 Request for municipal fire department (building fire, heavy smoke, building rescue resulting from fire or heavy smoke).
- Code 91 Request for specific CAER industry member.
- Code 92 Request for all CAER members with response capability.
- Code 10 Verified spill to the St. Clair River

Additional information on the CAER agreement can be found in the CAER Manual. The fact that this manual is in place, maintained and updated by the membership ensures this Mutual Aid Agreement is in place with participating members.

Revision No. 13	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES  <b>COMMUNICATIONS</b>	Procedure No. PER00004
Revision Date: 01.04.22		Page 1 of 4
		Initial issue date: 31.12.03

## 4.1 COMMUNICATIONS

The Corunna Site is committed to operating the business at the highest achievable standards to protect the health and safety of workers, the public and environment.

- The safe operation of our Corunna Site Material Flow Pipelines is integral to our business. The ability to respond to pipeline emergencies is also integral to NOVA Chemicals' business planning. Emergency response ensures a timely and appropriate response to external pipeline emergencies and compliance with applicable laws (domestic and/or international) and industry and legal codes of practice.
- In the event of a pipeline emergency, communication to the public will be initiated through the CAER Code Notification Process.
- Communication to the public of impending changes, e.g. evacuations, all clear will be managed by the local jurisdictional authorities (Police/Fire).
- Communication to NOVA Chemicals employees and the public will be the responsibility of the NOVA Chemicals Emergency Operations Center (EOC). The EOC Public Information Officer has procedures on communication protocols (internally and externally).
- Communications to NOVA Chemicals Corporate Crisis Management Group is the responsibility of the EOC Manager/delegate.
- Communication networks between the EOC and County Incident Commander are the responsibility of the NOVA Chemicals Incident Commander (off-site emergencies). The Incident Commander will ensure communication lines are clearly established. Communications between NOVA Chemicals EOC and the County EOC are the responsibility of the NOVA Chemicals CAMF Production Team Leader/Shift Production Manager (on-site/off-site emergencies).
- Consultation process includes the public, first responders, industry partners, and other interested parties.
  - Annual PERT revision and distribution with feedback opportunity.
  - Annual internal drill program, including learnings, review and updates as appropriate.
  - Quarterly CAER pipeline sub-committee participation, tabling industry and public concerns.
  - Annual participation in mutual aid response exercise (Sarnia Area Disaster Simulation (SADS) exercise).
  - Annual participation in CAER Emergency Preparedness Day – providing the public with an opportunity to meet with emergency personnel and discuss preparedness strategies.



Revision No. 13	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES  <b>COMMUNICATIONS</b>	Procedure No. PER00004
Revision Date: 01.04.22		Page 2 of 4
		Initial issue date: 31.12.03

## 4.2 COMMUNICATION TOOLS

Pipeline Emergency Response requires extensive use of mobile and static communication systems. This section describes the alternate and complementary systems currently employed by NOVA Chemicals.

- 1-800-278-0584 on signs in Michigan ring into 519-862-2002 Material Flow Pipeline Control Room. It also rings simultaneously to a dedicated phone in the office that the DCS control would transfer to in the case of an emergency where the Material Flow Control Room had to be evacuated.
- Cellular Telephones
- Pagers
- Radios
- CAER notification system
- Near neighbour communications via the communicator
- EOC activation via the communicator
- NOVA Corunna, Moore and St. Clair sites emergency alarm paging systems

St. Clair Township has the NOVA Chemicals' emergency radio channel available in their command center.

## 4.3 POST-EMERGENCY COMMUNICATIONS

Once the emergency is over, there are a number of follow-up activities that should be considered, e.g. communication to the public, communication to regulatory bodies not yet contacted who have jurisdiction, emergency debriefing, area restoration, CAER updates, site updates, etc.

## 4.4 RESPONDER DEBRIEFING

Immediately after the emergency, the CAMF Production Leader will review and evaluate the response with the personnel involved. This review will focus on improvements to the response procedures and equipment used as well as the effectiveness of the lines of communication. The review should include response agencies or other industry personnel who assisted with the emergency.

## 4.5 PUBLIC INFORMATION / COMMUNITY AWARENESS

When the public is impacted, they will be briefed by the EOC Public Information representative as soon after the emergency as possible, to answer any questions or concerns. Of prime concern will be the actions that the operator is taking to ensure another incident does not happen again. It is important to update the public immediately after the emergency to identify their concerns and to assure them that their questions will be answered once a proper evaluation of the incident has been completed.

Revision No. 13	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES  <b>COMMUNICATIONS</b>	Procedure No. PER00004
Revision Date: 01.04.22		Page 3 of 4
		Initial issue date: 31.12.03

#### 4.6 INCIDENT INVESTIGATION

The CAMF Production Leader will establish timing to complete the incident investigation on the Responsible Care Learning System (RCLS). The incident investigation process will identify the root cause of the event as well as identify measures to prevent recurrence.

#### 4.7 AFTER A LEVEL II OR III EMERGENCY, A NUMBER OF ITEMS WILL BE CONSIDERED:

- Status updates, as mentioned above.
- Critical incident stress debriefing of the Operations personnel and for members of the public that may have been significantly impacted by the emergency.
- Establishing an information center within the community where the emergency occurred to answer any questions posed by the public.
- Establishing a means of compensating the public who may have had out-of-pocket expenses (such as lodging and meal costs and the like) as a result of the emergency.
- Through the media, providing details of the investigation into the incident that may be pertinent to the public as they become available.

#### 4.8 CRITICAL INCIDENT STRESS DEBRIEFING

The EOC RC Officer is responsible for evaluating the need and initiating Critical Stress Debriefing. This will be done through the Site Employee and Family Assistance Program (EFAP) and/or local emergency services.

**Resources to assist with Critical Incident Stress Management can be obtained at:**

Corunna Site EFAP telephone number is available to NOVA Chemicals employees but is not published in the public domain for privacy reasons.

Revision No. 13	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES  <b>COMMUNICATIONS</b>	Procedure No. PER00004
Revision Date: 01.04.22		Page 4 of 4
		Initial issue date: 31.12.03

#### 4.9 EMERGENCY RESPONSE ACTIVITY DEBRIEF

**Purpose:**

The emergency response debrief is used to evaluate the incident looking for areas that 'went well' as well as areas for improvement. Debriefs should be done as soon after the incident as possible. The debrief should include all the responders so as to get a total response review. Refer to SER10008A EOC Debrief / After Action Review in the MEERS manual for the debrief procedure template.

Feedback and comments received from the emergency response activity debrief that necessitate an update to the PERT Manual will be incorporated as appropriate.

## FIELD RESPONSE HOT-WASH / AFTER ACTION REVIEW

Facilitator: \_\_\_\_\_

Date: \_\_\_\_\_

Type: ☐ Incident ☐ Exercise

1) What was planned? (Incident Objectives & Strategies)

2) What actually happened? (Tactics)

3) What worked well and why? (Assignments, Resources & Safety)

4) What can be improved and how?

Facilitator: \_\_\_\_\_

Date: \_\_\_\_\_

Type: ☐ Incident ☐ Exercise

QUESTIONS / CONSIDERATIONS	YES	NO	COMMENTS
1. Were the necessary resources available?			
2. Was there adequate support information / data?			
3. Were the roles and responsibilities clearly defined?			
4. Was communication effective?			
5. Was there adequate control of the site/scene?			
6. Were we adequately prepared? (training, resources, etc.)			
7. Were procedures/plans adequate, known, understood, followed?			

8. What worked well?

9. What can be improved, and how?

10. Lessons Learned:

11. Corrective Action Plan

#	Corrective Action Item	Responsible Person	Target Date
1			
2			
3			
4			
5			

Revision No. 14	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES  <b>EMERGENCY RESPONSE ACTIVATION</b>	Procedure No. PER00005
Revision Date: 01.04.22		Page 1 of 6
		Initial issue date: 31.12.03

## 5.1 ACTIVATION OF EMERGENCY PLAN

The plan may be initiated as a result of:

- Low pressure alarm activated on any of the high vapor pressure or low pressure pipelines.
- Any unplanned loss of process containment on a pipeline.
- Phone call to the Material Flow Control Room Technician from the public, police, fire authorities or other industrial company representative in the Chemical Valley.
- Phone call from a NOVA Chemicals contract first responder (e.g., LamSar, Inc.), who must contact the Material Flow Control Room ASAP via phone or radio upon discovery of emergency conditions.
- Notification from a field or support person, who must contact the Material Flow Control Room ASAP via phone or radio upon discovery of emergency conditions.

The Material Flow technician would refer to the attached Isolation Valve closing policy (Appendix 1) for direction, if required.

Note that third-party threats are handled through NOVA Chemicals Security and Emergency Response. If a threat to a pipeline or compound were received, the threat management protocol found in the Security Management Program would be put in place.

## 5.2 GUIDELINES

### Material Flow Response to Pipeline Leak

- Step 1 Record details of leak
  - location
  - leak type vapor/liquid
  - caller's name/return phone number, etc.
- Step 2 Immediately notify Shift Supervisor (CAMF Shift Supervisor).
- Step 3 Notify customers for potential of shutting down pipeline.
- Step 4 Immediately dispatch Technician and CAMF Shift Supervisor to area of leak to verify product (may not be our pipeline). In US, dispatch LamSar, Inc. representative to the emergency location
- Step 5 Determine Level of Emergency (section 2.3)
- Step 6 If warranted, EOC to be activated (follow criteria in tables in section 2).
- Step 7 Confirm leak. Material Flow Control Room Technician closes isolation valves (as appropriate). Consider air monitoring to address direct and incidental damage.
- Step 8 Pipeline shut down, depressurized product contained and controlled as per Spill Prevention and Countermeasures Plan. Water management should be addressed

Revision No. 14	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES <b>EMERGENCY RESPONSE ACTIVATION</b>	Procedure No. PER00005
Revision Date: 01.04.22		Page 2 of 6  Initial issue date: 31.12.03

as appropriate. For spill control points, see SEM00032: Emergency Monitoring Water Sampling Procedure.

- Step 9 Pipeline secured and all clear initiated. Note: Only the Police or Fire Chief can initiate an All Clear in the community.
- Step 10 Take steps to ensure the preservation of evidence to allow for root cause analysis. Refer to Ministry of Labour Notice of Critical Injury or Death, Occupational Health and Safety Act section of MEERS manual Section 5.
- Step 11 Repair plan developed, approved and initiated.
- Step 12 Pipeline operation restored.
- Step 13 Complete cleanup of area.

**Note:** See Section 2.3 Levels of Emergency

Revision No. 14	PIPELINE EMERGENCY RESPONSE MANUAL  INCLUDING GENESIS PIPELINES  <b>EMERGENCY RESPONSE ACTIVATION</b>	Procedure No. PER00005
Revision Date: 01.04.22		Page 3 of 6
		Initial issue date: 31.12.03

### 5.3 EMERGENCIES CAUSED BY 3<sup>RD</sup> PARTY DAMAGE

Emergency plans cannot identify all potential causes of an emergency on the pipeline system. These, however, are the greatest risk to underground infrastructure.

#### POTENTIAL CAUSES:

- Third-party companies excavating close to existing pipeline, for another pipeline, cable or road, installation, etc.
- Residents along the pipeline right-of-way (R.O.W.) installing fences.
- Seismic work.
- Farmers deep tilling in fields.

### 5.4 EVACUATION PLANNING

As previously mentioned, public safety is the top priority when managing a pipeline emergency. This should be addressed with two approaches:

**NOVA Chemicals expects local authorities to provide emergency scene securing (including evacuations).**

1. Emergency scene securing:
  - Applicable CAER Codes issued, Incident Command post established and communicated.
  - Evacuations:
    - \* Immediate evacuations – residents that are in immediate danger. These would occur in a Level II or III emergency only.
    - \* Subsequent evacuations – residents that could be in danger should the situation worsen such as shift in wind or ignition.

### 5.5 DISCIPLINED APPROACH TO EMERGENCY RESPONSE (DA2ER)

The DA2ER in Annex G (informative only) in CSA-Z731-03: *Emergency Preparedness and Response* may be used to determine appropriate protective and corrective strategies.



Revision No. 14	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES <b>EMERGENCY RESPONSE ACTIVATION</b>	Procedure No. PER00005
Revision Date: 01.04.22		Page 4 of 6
		Initial issue date: 31.12.03

**APPENDIX I ISOLATION VALVE CLOSING****PURPOSE**

The purpose of this policy is to provide the Material Flow Technicians with a guideline on when to close pipeline isolation valves in emergency situations. The technicians must in all emergency situations use their experience and discretion. Management understands that the decision to close an isolation valve carries enormous impact and this document confirms that management gives the decision to the technician, and will support this decision. Management commits to providing the necessary training, simulations, drill etc. to ensure that technicians are competent on pipeline operation.

**POLICY**

Corunna Site management supports and recommends the closing of appropriate isolation valves in the following situations:

1. When a leak call is confirmed by any NOVA Chemicals Material Flow Technician or CAMF Shift Supervisor.
2. When a leak call is received from a recognized public authority such as:
  - Police / Fire Chief 911 / CAER Code 6 (Traffic Control)
  - Municipal or County public worksThis call must be verified with a return phone call to a phone number identified in the Pipeline Emergency Response Manual or MEERS contact list.
3. When a leak call is received from an industrial company representative in the Chemical Valley and verified by NOVA Chemicals Material Flow personnel.
4. When a leak is called in by someone in the public and verified by NOVA Chemicals Material Flow personnel.

The Material Flow technician must follow the appropriate operating procedure, notifying customers of the situation.

Revision No. 14	PIPELINE EMERGENCY RESPONSE MANUAL  INCLUDING GENESIS PIPELINES  <b>EMERGENCY RESPONSE ACTIVATION</b>	Procedure No. PER00005
Revision Date: 01.04.22		Page 5 of 6
		Initial issue date: 31.12.03

## APPENDIX 2 VAPOUR CLOUD IGNITION PROCEDURE

When responding to a pipeline emergency, the Incident Commander must take measures to minimize the impacts of the emergency. One action that needs to be considered is igniting the vapour cloud.

It is the responsibility of the Incident Commander (NOVA Chemicals or municipality, depending on who has jurisdiction) to evaluate the merits of igniting the vapour cloud. For emergencies within NOVA Chemicals Pipeline Compounds, the NOVA Chemicals EOC Manager in consultation with Municipal Fire Officials will make the final decision regarding ignition.

### SITUATIONS WHERE THE VAPOUR CLOUD WILL NOT BE IGNITED:

- Potential for injury and death to the public located inside and outside residences.
- Inability to control the resulting fire, especially with ripened crops or permanent, flammable structures.
- The expectation that wind speed will increase and reduce the size of the flammable cloud, making ignition more attractive at a later time.
- Potential for employees or the public to inadvertently enter the cloud prior to or during the ignition.
- Heavily wooded areas, which may cause transition to detonation.

### THE FOLLOWING MUST BE CONSIDERED BEFORE IGNITION CAN TAKE PLACE:

- Is vapour plume ignition supported by vapour dispersion modelling?
- Has the perimeter of the danger zone been secured with roadblocks?
- Have all personnel been evacuated from the area?
- Has the wind direction been established and is it being monitored?
- Is fire control equipment ordered and/or available at the site?
- Is personal protective equipment available?
- Have the proper authorities been notified and involved where appropriate?
- Are contingency plans in place to deal with the effects of ignition?
- Are all facilities, equipment, supplies, medical response mobilized to look after the people?
- Is there a safe retreat from the fire area?
- Is there protection from the initial blast by distance (300m) or cover?
- Will the ignition take place crosswind from the cloud?
- What time of day is it?
- Will ignition affect other pipelines in the immediate area (Heat)?

Ignition is an option that must be considered in the field in an emergency situation. Safety of first responders must not be compromised when considering this option.

Revision No. 14	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES <b>EMERGENCY RESPONSE ACTIVATION</b>	Procedure No. PER00005
Revision Date: 01.04.22		Page 6 of 6
		Initial issue date: 31.12.03

### APPENDIX 3 INCIDENT MANAGEMENT SYSTEMS (IMS)


Manufacturing East has adopted Ontario's Incident Command System (ICS) platform and structure, which is modular and scalable, having the ability to expand and contract with the size or complexity of the incident. Further information about Ontario's IMS is available through Emergency Management Ontario.

*"The **Incident Management System (IMS)** is a standardized approach to emergency management encompassing personnel, facilities, equipment, procedures, and communications operating within a common organizational structure. The IMS is predicated on the understanding that in any and every incident, there are certain management functions that must be carried out regardless of the number of persons who are available or involved in the emergency response."*

*~ Emergency Management Ontario*

#### ICS/IMS Functions

Every incident, regardless of size, requires that certain management functions be performed. There are five major management functions that are the foundation upon which the ICS/IMS organization develops, regardless of what the incident is. These are provided below. Each function may be organized in a section. Only those sections that are necessary to managing the incident need be established. In some circumstances, other functions may also be recognized and staffed. Manufacturing East has taken this structure, and designated specific roles for the most appropriate functions at each site, allowing for further expansion if needed.



Revision No. <b>18</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES <b>EMERGENCY CONTACT LIST</b>	Procedure No. PER00006 Page 1 of 1 Initial issue date: 31.12.03
Revision Date: <b>01.04.23</b>		

## 6.0 EMERGENCY CONTACT LIST

An [Emergency Contact List](#) is maintained as part of the Manufacturing East Emergency Response System (MEERS) Program. It is maintained by the Responsible Care group to ensure it is kept up to date. It includes contact information for NOVA Chemicals (regional and corporate including the crisis management team), neighbours, external (including emergency), industry partners, ministry, municipality, agency, suppliers and members of parliament. The list below includes a sample of emergency contacts, but the location of the emergency and the pipeline will dictate further contacts, as discussed in other sections of this manual.

Contact information has been removed from this section for external publication. However, personal contact information is included in the copies of the manual that are distributed to those who need access to that information.

### IN CASE OF TAMPERING OR EMERGENCY ON THE PIPELINE, IMMEDIATELY NOTIFY:

**911 to reach municipal emergency response in Canada**  
**Marysville Police / Fire in US via St. Clair Central Dispatch**  
**NOVA Corunna CAMF Shift Supervisor/Pipeline Emergency Number**  
**Applicable partner's control room**  
**LamSar Inc. in US**

Refer to tables in Section 2 of the PERT Manual for detailed notification requirements

Revision No. <b>14</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES	Procedure No. PER00007
Revision Date: <b>01.04.23</b>	<b>PRODUCT DATA</b>	Page 1 of 1
		Initial issue date: 31.12.03

## 7.0 PRODUCT DATA

This section contains product information, specifications, physical properties, characteristics and spill control measures.

Hard copies of this manual will include printed out copies of safety data sheets, but electronic copies may not. Please use the links to ensure you are always using the most up-to-date document.

### 7.1 NOVA CHEMICALS' PRODUCTS CARRIED IN NOVA CHEMICALS PIPELINES<sup>1</sup>

Benzene

Brine Solution

C6-C8 Raffinates (Gasoline Blendstock)

C9-200 Hydrocarbons (Gasoline Blendstock)

Ethylene

Ethylene, Spent Gas

Mixed C4 Product

Toluene/Xylene mixture

### 7.2 OTHER COMPANIES' PRODUCTS CARRIED IN NOVA CHEMICALS PIPELINES<sup>2</sup>

Crude Oil – **LSB (crude oil sour)/OSH /PSY (petroleum crude oil – light synthetic)**

Ethane

Mixed Benzene/Toluene Stream

Natural Gas/Fuel Gas

NGLs (Butane) (Normal Butane)

NGLs (Propane)

No. 2 Fuel Oil

No. 6 Fuel Oil (**Heating Fuel Oil Type 6/Residual Marine Fuel**)

<sup>1</sup> Safety Data Sheets for commercial products and co-products produced by NOVA Chemicals and shipped in our pipelines can be found on our external website here: <https://www.novachem.com/olefins/product-finder/?pg=1>. Safety Data Sheets for non-commercial co-products can be found here: <http://ishare.novachem.com/rc/sites/programs/prodstew/prodlit/SitePages/NonCommercial.aspx>. Please ensure you are always using the most-up-to-date version by verifying against what is available in the online link.

<sup>2</sup> Safety Data Sheets for products produced by others but shipped by NOVA Chemicals pipelines can be found on our internal website here: <http://chemcentral.novachem.com/rc/ops/Pages/msds.aspx>. The SDS in this database are intended for the use of NOVA Chemicals site employees, contractors, partners, or other personnel working under the direction of NOVA Chemicals. Due to possible breaches of confidentiality and/or liabilities associated with distributing SDS which may not meet the regulatory requirements of certain jurisdictions, they shall not be copied and/or circulated to groups external to NOVA Chemicals. As a result, the link is only for internal use within NOVA Chemicals; however, those who require the information have been provided hard copies of the SDS documentation.

Revision No. 12	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES  <b>TRAINING</b>	Procedure No. PER00008
Revision Date: 01.04.22		Page 1 of 2
		Initial issue date: 31.12.03

## **8.1 PERT MEMBERS/OPERATIONS TRAINING**

The Learning and Development Department, in conjunction with the Learning Program owners, manage a training matrix that includes the assigned Responsible Care training requirements and frequency of training for the following personnel on PERT:

- CAMF Production Leader
- Pipeline Integrity and Rail Supervisor
- Pipeline Field Execution Coordinator
- CAMF Shift Supervisors
- Material Flow Technicians

The training program includes computer-based training (CBTs), procedure, classroom and field training. In order to ensure that employees have a working knowledge of the training modules, quizzes and/or in-field testing must be passed. Frequency of training is dictated by the training module owner.

The Area Training Specialist keeps records of operating training profiles and has a system in place to ensure employees remain up-to-date in required courses and recertification. All personnel training is tracked, and an annual review is conducted to ensure all PERT members are current with their training.

Manual holders are provided guidance on updates during manual distribution, completed on an annual basis. Training materials are updated annually to reflect current manual.

## **8.2 EOC TRAINING**

Internal training for the Emergency Operations Centre (EOC) targets the following:

- EOC Training, Communication and Decision Making
- Pipeline PERT Manual Familiarization
- Pipeline Product Data
- Drill Participation – field and/or tabletop

## **8.3 EXERCISE REQUIREMENTS**

The NOVA Chemicals PERT and Material Flow Technicians will follow the defined Emergency Response Drill Program.

Abnormal Operating Condition tabletop/functional drills are conducted annually by the CAMF Shift Supervisors and Material Flow Technicians.

Under CER jurisdiction, full-scale exercises are conducted at least once every three years. Tabletop and/or functional exercises are conducted annually and incorporate all levels of the organization.

NOVA Chemicals will ensure that the drills are held with sufficient frequency and meet the expectations for the CER OPR and DOT in regards to emergency response

Revision No. 12	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES  <b>TRAINING</b>	Procedure No. PER00008
Revision Date: 01.04.22		Page 2 of 2
		Initial issue date: 31.12.03

exercise requirements. Exercises will be varied to confirm that all aspects of potential emergencies are tested and simulate a wide range of potential geographic, weather conditions and worse-case scenario spill or gas release scenarios.

Drill frequency is augmented by participation in industrial peer exercises.

#### **8.4 EXTERNAL RESOURCES TRAINING**

NOVA Chemicals is a member the Sarnia-Lambton Community Awareness and Emergency Response (CAER) organization. A key function of CAER focuses on bringing municipal and industrial emergency responders together to identify potential risks associated with industrial operations and to develop emergency plans around them. The CAER oversees these activities. As a member of CAER, NOVA Chemicals participates in exercises and training for external resources. This includes municipal and provincial police, municipal fire departments, public participants, and industrial partners. Exercises may be held by NOVA Chemicals for external participation; or NOVA Chemicals may participate in industry peer exercises. A mutual aid response exercise (Sarnia Area Disaster Simulation (SADS) exercise) is conducted annually with partnership from all industrial peers. It is a vital training activity designed to simulate a real incident and provide experience and knowledge to those taking part.

NOVA Chemicals is committed to ensuring external response personnel are adequately trained in fire-fighting. NOVA Chemicals provides funds for training local municipal fire department(s) at top training facilities – including Lambton College Fire & Public Safety Centre of Excellence and Texas A&M Engineering TEEX.

Revision No. 12	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES  <b>CHECKLISTS</b>	Procedure No. PER00009
Revision Date: 01.04.21		Page 1 of 3
		Initial issue date: 31.12.03

**See attached checklists:**

1. Pipeline Emergency – First Responder (Material Flow Technician and/or CAMF Shift Supervisor) Checklist
2. Pipeline Emergency – First Responder Vehicle Checklist

Return completed checklists to the Pipeline Integrity and Rail Supervisor



Revision No. 12	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES  <b>CHECKLISTS</b>	Procedure No. PER00009
Revision Date: 01.04.21		Page 2 of 3  Initial issue date: 31.12.03

## PIPELINE EMERGENCY — FIRST RESPONDER (MATERIAL FLOW TECHNICIAN AND/OR CAMF SHIFT SUPERVISOR) CHECKLIST

### Emergency Activation:

- ☐ Assess/analyze emergency scene.
- ☐ Confirm weather conditions.
- ☐ Approach site from upwind. Stay a safe distance from the leak, vapour cloud and low areas downwind.
- ☐ Determine level of emergency and activate Emergency Plan as required.
- ☐ Communicate with CAMF Shift Supervisor.
- ☐ Request local jurisdiction (fire or police, etc.) be notified, as required.
- ☐ Initiate isolation of the pipeline as directed by the CAMF Shift Supervisor.
- ☐ Establish a site command post if not already completed.

### Operational Actions

- ☐ Monitor the condition of the pipeline emergency as it de-escalates (air monitoring, etc.)
- ☐ Act as liaison with local jurisdiction until CAMF Production Leader and/or Pipeline Integrity and Rail Supervisor arrives.
- ☐ Communicate emergency needs/information to the EOC Manager, i.e. road closures, equipment, communication, repair plan
- ☐ If applicable perform Naturally Occurring Radioactive Material (NORM) testing

### Demobilization:

- ☐ Participate in investigations being undertaken (pictures, documentation, etc.).
- ☐ Assist with recovery plan.

Return completed checklists to the Pipeline Integrity and Rail Supervisor

Revision No.	12	PIPELINE EMERGENCY RESPONSE MANUAL  INCLUDING GENESIS PIPELINES  <b>CHECKLISTS</b>	Procedure No.	PER00009
			Page	3 of 3
Revision Date:	01.04.21		Initial issue date:	31.12.03

**PIPELINE EMERGENCY — FIRST  
RESPONDER VEHICLE CHECKLIST**

- ☐ Vehicle with communications equipment (i.e., two-way radio)
- ☐ Pipeline Emergency Response Team (PERT) manual containing maps, locating pipeline and isolation valve sites, as well as pertinent telephone numbers
- ☐ Binoculars
- ☐ Gas Detector

Return completed checklists to the Pipeline Integrity and Rail Supervisor

Revision No. 09	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES <b>FORMS</b>	Procedure No. PER00010
Revision Date: 01.04.21		Page 1 of 1
		Initial issue date: 31.12.03

## PIPELINE EMERGENCY CALL FORM

Material Flow Pipeline Operator \_\_\_\_\_

Time of Call \_\_\_\_\_

Date of Call (MM/DD/YYYY) \_\_\_\_\_

Name of caller \_\_\_\_\_

Location of caller \_\_\_\_\_

Caller return phone number \_\_\_\_\_

Inform caller that NOVA representatives will be there within 10–15 minutes \_\_\_\_\_

Will caller remain at scene? \_\_\_\_\_

Where will caller meet NOVA rep? \_\_\_\_\_

Emergency location (area, road, development, address, etc.) \_\_\_\_\_

Emergency Specifics

Wind direction: \_\_\_\_\_ Proximity to public: \_\_\_\_\_

Are there any injuries?	Yes	No
Visible vapour?	Yes Big    Yes small	No
Visible liquid?	Yes Big    Yes small	No
Noise?	Yes Loud    Yes slight	No
Fire?		
Trespasser/suspicious package?		
Police/Fire on scene?	Yes	No

NOTE:

Trespasser/Suspicious package incident:

- If Police are required, notify Corunna Site Main Gate 2290 request 911 call, advise type of emergency and compound location
- If Fire department is required, notify Corunna Site Main Gate 2290, request CAER Code 9 call, advise type of emergency and compound location.

Additional Notes: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Return completed forms to the Pipeline Integrity and Rail Supervisor

Revision No.	11	PIPELINE EMERGENCY RESPONSE MANUAL  INCLUDING GENESIS PIPELINES  <b>EQUIPMENT</b>	Procedure No.	PER00011
			Page	1 of 1
Revision Date:	01.04.22		Initial issue date:	31.12.03

## 11.0 EMERGENCY RESOURCES AND EQUIPMENT

- 11.1 Safer Real Time Dispersion Modeling: NOVA Chemicals has a Real Time Dispersion modeling system for use during emergencies. This system allows NOVA Chemicals to establish impacted zones, vapour cloud profiles based on real time meteorological readings.
- 11.2 Emergency Response Vehicle: Available for immediate response to a scene, equipped with analyzing equipment, e.g. LEL, H<sub>2</sub>S, Benzene, etc.; self-contained breathing apparatus (in Canada), personal protective equipment, etc. Note that fully equipped emergency response vehicles are available in both Canada and the US.
- 11.3 Spill Response Trailers: NOVA Chemicals maintains three spill response trailers stocked with adequate spill containment and clean-up materials. Three trailers are located in Canada, and are maintained by documented internal procedures.
- 11.4 Maintenance Contractor: NOVA Chemicals has maintenance contracts in place with local maintenance contractors to complete pipeline repairs. Operations procedures provide for pipeline isolation, product de-inventorying and providing terminal isolations for maintenance work.
- 11.5 As a member of CAER, NOVA Chemicals has 24/7 access to the CAER mutual aid inventory of emergency response equipment and vehicles. A database that lists the equipment and the site locations/owners is maintained by CAER and is available to members in an appendix in the Sarnia-Lambton Community Awareness & Emergency Response Manual.

Revision No. 11	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES <b>VALVE STATIONS</b>	Procedure No. PER00012 Page 1 of 1 Initial issue date: 31.12.03
Revision Date: 01.04.23		

## 12.0 CORUNNA PIPELINE VALVE STATIONS/COMPOUNDS

Corunna pipeline distribution has twenty-**three** (23) valve stations/compounds located throughout the region. Each valve station/compound is fenced in with identifying emergency numbers to report emergencies. The number on the sign rings into the NOVA Chemicals Corunna Material Flow Control Room (519-862-2002).

Valves stations located in Michigan have 1-800-278-0584 on the signs, which rings through to the NOVA Chemicals Corunna Material Flow Control Room.

The following is a list of the valve stations/compounds.

Note that the list of valve stations has been removed as it is considered security information where a risk of disclosure will impair security of the pipelines. However, the full list is included in the hard copy manual that is distributed internally and to external responders, so those who require access to that information have it available.

\*Fairview Compound and the Michigan St. Clair River Crossing Valve Pit are equipped with security cameras that can be viewed by security.

Revision No. <b>14</b>	PIPELINE EMERGENCY RESPONSE MANUAL INCLUDING GENESIS PIPELINES <b>MAPS</b>	Procedure No. PER00013 Page 1 of 1 Initial issue date: 31.12.03
Revision Date: <b>01.04.23</b>		


## **MAPS**

### **PIPELINE DISTRIBUTION THROUGHOUT THE REGION**

- 13.1 [Pipeline Corridors](#)
- 13.2 [Pipelines and Valve Stations/Compounds](#)
- 13.3 [US Topographic Lines 16A, 18, 19 & 20](#)
- 13.4 [NOVA US Planview Maps](#)
- 13.5 [CER Regulated Lines](#)

Note that maps 13.2, 13.3, 13.4 and 13.5 have been removed from the web version of the manual as they contain security information where a risk of disclosure will impair security of the pipelines. However, the maps are included in the hard copy manual that is distributed internally and to external responders, so those who require access to that information have it available.

# Main Pipeline Corridors



- Pipeline Corridor A
- Pipeline Corridor B
- Pipeline Corridor C
- Pipeline Corridor D
- Pipeline Corridor E
- U.S. Pipeline Corridor