

Product Data Sheet

NOVAPOL® PF-0318-E Resin

Butene Copolymer LLDPE Film Resin

Property	ASTM ⁽¹⁾	Туріс	al Values ⁽²⁾	Melt Index	2.7
Melt Index ⁽³⁾	D 1238	2.7 g/10 min		Density	0.919
Density	D 792	0.919 g/cm ³			
		METRIC UNITS	ENGLISH UNITS	Slip	None
Film Properties ⁽⁴⁾				Antiblock	None
Thickness		20 µm	0.8 mil	0 0 0	
Tear Strength	MD D 1922	57 g		Features	
	TD	369 g		 Excellent opt 	tical
Low Friction Puncture ⁽⁵⁾		28 J/mm	6 in-lb/mil	properties	
Tensile Strength	MD D 882	34 MPa	4,900 psi	 Easy process 	sability
	TD	21 MPa	3,000 psi	0 0 0	
Yield Strength	MD D 882	9 MPa	1,300 psi	Additives	
	TD	9 MPa	1,300 psi	 High temperative 	ature AO
Elongation	MD D 882	642 %	642 %	0 0	
	TD	932 %	932 %	Application	S
1% Secant Modulus	MD D 882	170 MPa	24,700 psi	Cast stretch	wrap
	TD	170 MPa	24,700 psi	Co-extrusion	
Haze	D 1003	2 %	2 %	0 0	
Gloss @ 45°	D 2457	93	93	•	

(1) Properties designated have been determined using methods which are in accordance with, or substantially in accordance with, the specified testing standards.

(2) Typical Values represent average laboratory values and are intended as guides only, not as specifications.

(3) Condition 190°C/2.16 kg.

(4) Film properties are typical of cast film extruded at 280°C.

(5) NOVA Chemicals test method.





NOVAPOL PF-0318-E Resin

Butene Copolymer LLDPE Film Resin

Availability

NOVAPOL PF-0318-E polyethylene resins are available in bulk hopper cars, hopper trucks, boxes, sea bulk containers, or bags. The product type and batch number are clearly marked on each container. Contact the NOVA Chemicals sales office nearest you for availability in your area.

Storage/Handling

NOVAPOL PF-0318-E resin should be stored in a clean, dry place at ambient temperatures. Prolonged or improper storage can result in deterioration of product properties. Care should be taken when handling and transferring product to prevent foreign matter contamination. The NOVA Chemicals Safety Data Sheet (SDS) contains important safety information and should be reviewed before using the product.

Processing Conditions

Comprehensive assistance with processing conditions and technology is available from NOVA Chemicals Technical Service at (403) 291-8444.

Food Packaging Status

United States: NOVAPOL PF-0318-E resin complies with the specifications contained in the U.S. Food and Drug Administration (FDA) regulation 21 CFR 177.1520 for olefin polymers, para. (c) 3.2a, and may thus be used in the United States as an article or component of an article intended for use in contact with food, except for infant formula and human milk, under Conditions of Use A-H (21 CFR 176.170(c) Table 2).

Other Countries: For regulatory compliance information for other countries, please contact your nearest NOVA Chemicals office.

Environmental

NOVA Chemicals polyethylene resins are biologically and chemically inert, but improper disposal may present an ingestion hazard to wildlife. Where recycling of NOVA Chemicals' polyethylene resins is not possible, disposal to landfill or incineration in accordance with all applicable government laws and regulations is recommended. Please contact NOVA Chemicals Technical Service for further information on recycling and disposal of NOVA Chemicals resins.



is the SPI resin code developed for low density and linear Iow density polyethylene to identify material type for LDPE sorting and recycling purposes.

The NOVA Chemicals logo is a registered trademark of NOVA Brands Ltd.; authorized use/utilisation autorisée. NOVAPOL® is a registered trademark of NOVA Brands Ltd.; authorized use/utilisation autorisée.

The above information is provided in good faith. NOVA Chemicals is not responsible for any processing or compounding which may occur to produce finished articles, packaging materials or their components. Further, NOVA CHEMICALS MAKES NO WARRANTY OR REPRESENTATION OF ANY KIND, REGARDING THE INFORMATION GIVEN FOR THE PRODUCTS DESCRIBED, AND EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES, REPRESENTATIONS AND CONDITIONS, INCLUDING WITHOUT LIMITATION ALL WARRANTIES AND CONDITIONS OF QUALITY, MERCHANTABILITY AND SUITABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Responsibility for use, storage, handling and disposal of the products described herein is that of the purchaser or end user

February 5, 2025

